

**UNITED STATES COURT OF INTERNATIONAL TRADE**

ARCELORMITTAL LONG PRODUCTS CANADA )  
GP, )  
 ) Court No. 21-00038  
Plaintiff, )  
 )  
v. )  
 )  
UNITED STATES, )  
 )  
Defendant. )

**STIPULATED JUDGMENT ON AGREED STATEMENT OF FACTS**

This action, as prescribed by Rule 58.1 of the Rules of the United States Court of International Trade, is stipulated for judgment on the following agreed statement of facts in which the parties agree that:

1. The protests and the action involved herein were filed within the time provided by law, and all liquidated duties, charges or exactions have been paid prior to the filing of the summons.

2. The imported merchandise covered by the entries set forth on Schedule A, attached, consists of steel wire rod products.

3. The imported merchandise was classified by U.S. Customs and Border Protection under one of the following duty-free provisions of the Harmonized Tariff Schedule of the United States (HTSUS):

- 7213.91.3015 as “Bars and rods, hot-rolled, in irregularly wound coils, of iron or nonalloy steel: Other: Of circular cross section measuring less than 14 mm in diameter: Not tempered, not treated and not partly manufactured: Of Cold Heading Quality (CHQ) steel of a kind described in statistical note 6 to this chapter.”

- 7213.91.3093 as “Bars and rods, hot-rolled, in irregularly wound coils, of iron or nonalloy steel: Other: Of circular cross section measuring less than 14 mm in diameter: Not tempered, not treated and not partly manufactured: Other.”
- 7213.99.0030 as “Bars and rods, hot-rolled, in irregularly wound coils, of iron or nonalloy steel: Other: -Other: Of circular cross section: With a diameter of 14 mm or more but less than 19 mm.”
- 7227.90.6010 as “Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel: Other: Other: Of Cold Heading Quality (CHQ) steel of a kind described in statistical note 6 to this chapter.”
- 7227.90.6030 as “Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel: Other: Other: Of a circular cross section: With a diameter of less than 14 mm.”
- 7227.90.6035 as “Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel: Other: Other: Of a circular cross section: With a diameter of 14 mm or more but less than 19 mm.”

Additionally, the imported merchandise was assessed additional duties pursuant to Section 232 of the Trade Expansion Act of 1962, as amended, 19 U.S.C. § 1862 (“Section 232”), under subheading 9903.80.01, HTSUS, at the rate of 25 percent *ad valorem*.

4. The stipulable imported merchandise is excluded from Section 232 duties pursuant to exclusions granted by the Bureau of Industry and Security (BIS), as listed in the attached Schedule B.


5. The imported merchandise, covered by the entries set forth on the attached Schedule A, is stipulable in accordance with this agreement.

6. Any refunds payable by reason of this judgment are to be paid with any interest provided for by law.

7. All other claims and non-stipulable entries are abandoned.

8. Each party will bear its own costs and attorney's fees.

Respectfully submitted,


By:   
Wm. Randolph Rucker  
Faegre Drinker Biddle & Reath  
LLP  
320 S. Canal Street, Suite 3300  
Chicago, IL 60606  
Phone: (312) 569-1157  
*Attorney for Plaintiff*

BRIAN M. BOYNTON  
Principal Deputy Assistant  
Attorney General  
Civil Division

PATRICIA M. McCARTHY  
Director

By:  9/17/2024  
JUSTIN R. MILLER

Attorney-In-Charge  
International Trade Field Office

 9/19/2024  
GUY EDDON

Trial Attorney  
Department of Justice, Civil Division  
Commercial Litigation Branch  
26 Federal Plaza, Room 346  
New York, New York 10278  
Tel.: (212) 264-9232 or 9230  
*Attorneys for Defendant*

IT IS HEREBY ORDERED that this action is decided and this final judgment is to be entered by the Clerk of the Court; the appropriate U.S. Customs and Border Protection officials shall reliquidate the entries and make refund in accordance with the stipulation of the parties set forth above.

---

Judge

Date: \_\_\_\_\_

**SCHEDULE A****TO STIPULATED JUDGMENT FOR COURT NO. 21-00038**

The following stipulated merchandise is to be reliquidated without the assessment of Section 232 duties.

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101739	9RK-2694151-8	1	Cold Heading Qual WR, Green Rod 1045SKFG, 0.413”- 10.50mm CHQ Steel Spec 1045 SKFG 1045 F 13/32	BIS-2018-0006-39188

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101763	9RK-2704797-6	2	Cold Heading Qual WR, Green Rod SAE 4135H FG, 0.433” – 11.00mm CHQ Steel Spec 4135HM STCC:3312445: Wire Rods Iors	BIS-2018-0006-39234

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101740	9RK-2705861-9	1	Cold Heading Qual WR, Green Rod SAE 4135H FG, 0.354” – 9.00mm CHQ Steel Spec 4135HM STCC:3312445: Wire Rods Iors	BIS-2018-0006-44376

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101744	9RK-2705861-9	1	Cold Heading Qual WR, Green Rod SAE 4135HM SKFG, 0.512” – 13.00mm CHQ Steel Spec 4135HM STCC:3312448: Wire Rods	BIS-2018-0006-39108

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101711	9RK-2729744-9	1	Cold Heading Qual WR, Green Rod 4037MOD, 0.512” – 13.00 mm CHQ Steel Spec 4037MOD STCC: 3312448: Wire Rods	BIS-2018-0006-35952

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101753	9RK-2701189-9	1	Cold Heading Qual WR, Green Rod SAE 1541 FG, 0.625" – 15.90mm CHQ Steel Spec 1541FGP STCC:3312448: Wire Rods	38040
		2	Cold Heading Qual WR, Green Rod SAE 4135H FG, 0.625" – 15.90mm CHQ Steel Spec 4135HM STCC:3312448: Wire Rods	BIS-2018-0006-39238

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101761	9RK-2703518-7	1	Cold Heading Qual WR, Green Rod SAE 4135H FG, 0.433"- 11mm CHQ Steel Spec 4135HM STCC: 3312445: Wire Rods Iors	BIS-2018-0006-39234
		2	Cold Heading Qual WR, Green Rod 10B21MSKFG, 0.327"- 8.30mm CHQ Steel Spec 10B21M STCC: 3312448: Wire Rods	22375

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101741	9RK-2705862-7	1	Cold Heading Qual WR, Green Rod SAE 4135H FG, 0.354" – 9.00mm CHQ Steel Spec 4135HM STCC:3312445: Wire Rods Iors	BIS-2018-0006-44376

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101742	9RK-2705919-5	1-3	Cold Heading Qual WR, Green Rod SAE 4135H FG, 0.354" – 9.00mm CHQ Steel Spec 4135HM STCC:3312445: Wire Rods Iors	BIS-2018-0006-44376

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101768	9RK-2707550-6	1	Cold Heading Qual WR, Green Rod 1541GFKS, 0.512"- 13.00mm CHQ Steel Spec 1541 FGP STCC:3312448: Wire Rods	38544
		2	Cold Heading Qual WR, Green Rod SAE 4135H FG, 0.625" – 15.90mm CHQ Steel Spec 4135HM STCC:3312448: Wire Rods	BIS-2018-0006-39238
		3	Cold Heading Qual WR, Green Rod SAE 1335 FG, 0.625" – 15.90mm CHQ Steel Spec 1335 SKFG STCC:3312448: Wire Rods	37917

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101792	9RK-2708153-8	1	Cold Heading Qual WR, Green Rod SAE 1541 FG, 0.295"- 7.50mm CHQ Steel Spec 1541 FGP STCC:3312445: Wire Rods Iors	38437
		2	Cold Heading Qual WR, Green Rod 1008 AKFG, 0.413-10.50mm CHQ Steel Spec 1008AKFG STCC: 3312448:Wire Rods	BIS-2018-0006-42830

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101793	9RK-2709769-0	1	Cold Heading Qual WR, Green Rod 1008 AKFG, 0.413"- 10.50mm CHQ Steel Spec 1008AKFG STCC:3312448: Wire Rods	BIS-2018-0006-42830

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101710	9RK-2709826-8	1	Cold Heading Qual WR, Green Rod 4037MOD, 0.512"- 13.00mm CHQ Steel Spec 4037MOD STCC:3312448: Wire Rods	BIS-2018-0006-35952
		2	Cold Heading Qual WR, Green Rod SAE 4135H FG, 0.640" – 16.30mm CHQ Steel Spec 4135HM STCC:3312445: Wire Rods Iors	91515

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101745	9RK-2716549-7	1	Cold Heading Qual WR, Green Rod 4135HM SKFG, 0.512"- 13.00mm CHQ Steel Spec 4135HM STCC: 3312448:Wire Rods	BIS-2018-0006-39108
		2-3	Cold Heading Qual WR, Green Rod SAE 4135H FG, 0.640" – 16.30mm CHQ Steel Spec 4135HM STCC:3312445: Wire Rods Iors	91515

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101719	9RK-2716549-7	1	Cold Heading Qual WR, Green Rod SAE 1038 CG, 0.413 -10.50mm CHQ Steel Spec 1038CG STCC: 3312448: Wire Rods	BIS-2018-0006-36039
		2	Cold Heading Qual WR, Green Rod 1045SKFG, 0.413"-10.50mm CHQ Steel Spec 1045 SKFG STCC:3312445: Wire Rods Iors	BIS-2018-0006-39188

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101730	9RK-2718068-6	1	Cold Heading Qual WR, Green Rod SAE 1541 FG, 0.327" – 8.30mm CHQ Steel Spec 1541FGP STCC:3312448: Wire Rods	38472
		2	Cold Heading Qual WR, Green Rod SAE 1038 CG, 0.256" – 6.50mm CHQ Steel Spec 1038CG STCC:3312448: Wire Rods	BIS-2018-0006-39145



Protest No.	Entry No.	Line No.	Product Description	Exclusion Request No.
3801-20-101773	9RK-2722374-2	1	Cold Heading Qual WR, Green Rod 10B21MSKFG, 0.640" -16.30mm CHQ Steel Spec 10B21M STCC:3312445: Wire Rods Iors	26300
		2	Cold Heading Qual WR, Green Rod 1340 FG SK, 0.734" - 18.60mm CHQ Steel Spec 1340 SKFG STCC:3312445: Wire Rods Iors	83117
		3	Cold Heading Qual WR, Green Rod 1045SKFG, 0.413 -10.50mm CHQ Steel Spec 1045 SKFG STCC:3312445: Wire Rods Iors	BIS-2018-0006-39188

Protest No.	Entry No.	Line No.	Product Description	Exclusion Request No.
3801-20-101775	9RK-2726756-6	1	Cold Heading Qual WR, Green Rod SAE 4135H FG, 0.433" – 11.00mm CHQ Steel Spec 4135HM STCC:3312445: Wire Rods Iors	BIS-2018-0006-39234
		2	Cold Heading Qual WR, Green Rod 10B30SKFG, 0.454" – 11.50mm CHQ Steel Spec 10B30 SKFG STCC:3312445: Wire Rods Iors	27019

Protest No.	Entry No.	Line No.	Product Description	Exclusion Request No.
3801-20-101731	9RK-2722374-2	1	Cold Heading Qual WR, Green Rod 1541GFKS, 0.250"- 6.35mm CHQ Steel Spec 1541FGP STCC:3312448: Wire Rods	59425
		2-3	Cold Heading Qual WR, Green Rod SAE 1038 CG, 0.256"- 6.50mm CHQ Steel Spec 1038CG STCC:3312448: Wire Rods	BIS-2018-0006-39145

Protest No.	Entry No.	Line No.	Product Description	Exclusion Request No.
3801-20-101733	9RK-2729668-0	1	Cold Heading Qual WR, Green Rod SAE 1038 CG, 0.413"- 10.50mm CHQ Steel Spec 1038CG STCC:3312448:Wire Rods	BIS-2018-0006-39145
		2	Cold Heading Qual WR, Green Rod SAE 10B21MFG, 0.413" – 10.50mm CHQ Steel Spec 10B21M STCC:3312448: Wire Rods	22696

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3801-20-101734	9RK-2729735-7	1	Cold Heading Qual WR, Green Rod SAE 1038 CG, 0.413" – 10.50mm CHQ Steel Spec 1038CG STCC:3312448: Wire Rods	BIS-2018-0006-36039

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100958	9RK-2694748-1	1-2	Cold Heading Qual WR, Green Rod 1008 AKFG, 0.413" -10.50mm CHQ Steel Spec 1008AKFG STCC:3312448: Wire Rods	BIS-2018-0006-42830

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100928	9RK-2705804-9	3	Cold Heading Qual WR, Green Rod SAE 4135H FG, 0.354" – 9.00mm CHQ Steel Spec 4135HM STCC:3312445: Wire Rods Iors	BIS-2018-0006-44376

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100879	9RK-2719673-2	1	Cold Heading Qual WR, Green Rod 4037SIKFG, 0.454"-11.50mm CHQ Steel Spec 4037 STCC: 3312448:Wire Rods	BIS-2018-0006-38813
		2	Cold Heading Qual WR, Green Rod SAE 1038 CG, 0.472"-12.00mm CHQ Steel Spec 1038CG STCC: 3312448:Wire Rods	BIS-2018-0006-39169

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100880	9RK-2729594-8	1	Cold Heading Qual WR, Green Rod 4037MOD, 0.512"-13.00mm CHQ Steel Spec 4037MOD STCC: 3312448:Wire Rods	BIS-2018-0006-35952

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100898	9RK-2694000-7	1	Cold Heading Qual WR, Green Rod SAE 1038 CG 0.413"- 10.50mm CHQ Steel Spec 1038CG STCC: 3312448:Wire Rods	BIS-2018-0006-36039

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100899	9RK-2694065-0	1	Cold Heading Qual WR, Green Rod SAE 1038 CG, 0.413-10.50mm CHQ Steel Spec 1038CG STCC: 3312448:Wire Rods	BIS-2018-0006-36039

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100900	9RK-2694073-4	1	Cold Heading Qual WR, Green Rod SAE 1038 CG, 0.413"-10.50mm CHQ Steel Spec 1038CG STCC: 3312448:Wire Rods	BIS-2018-0006-36039

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100864	9RK-2694451-2	1	Cold Heading Qual WR, Green Rod SAE 1038CG, 0.472"-12.00 CHQ Steel Spec 1038CG STCC:3312448: Wire Rods	BIS-2018-0006-39169
		2	Cold Heading Qual WR, Green Rod 10B30SKFG, 0.563"-14.30mm CHQ Steel Spec 10B30 SKFG	27091

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100902	9RK-2696156-5	1	Cold Heading Qual WR, Green Rod SAE 10B21M FG, 0.413"-10.50mm CHQ Steel Spec 10B21M STCC:3312448: Wire Rods	22696
		2	Cold Heading Qual WR, Green Rod 1340 FG, 0.734"-18.60mm CHQ Steel Spec 1340 SKFG STCC:3312448: Wire Rods Iors	83117
		3	Cold Heading Qual WR, Green Rod SAE 1038 CG, 0.413"-10.50mm CHQ Steel Spec 1038CG STCC:3312448: Wire Rods	BIS-2018-0006-36039

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100868	9RK-2703916-3	1	Cold Heading Qual WR, Green Rod 4037MOD, 0.512" -13.00mm CHQ Steel Spec 4037MOD STCC:3312448: Wire Rods	BIS-2018-0006-35952
		2	Cold Heading Qual WR, Green Rod SAE 1541 FG, 0.563" -14.00mm CHQ Steel Spec 1541 FGP STCC:3312448: Wire Rods	38111

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100904	9RK-2709571-0	1	Cold Heading Qual WR, Green Rod SAE 1038CG, 0.413" -10.50mm CHQ Steel Spec 1038CG STCC:3312448: Wire Rods	BIS-2018-0006-36039

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100874	9RK-2715464-0	1	Cold Heading Qual WR, Green Rod 1541GFKS, 0.512" -13.00mm CHQ Steel Spec 1541 FGP STCC:3312448: Wire Rods	38544
		2	Cold Heading Qual WR, Green Rod 4037MOD, 0.512" -13.00mm CHQ Steel Spec 4037MOD STCC:3312448: Wire Rods	BIS-2018-0006-35952

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100891	9RK-2729706-8	1	Cold Heading Qual WR, Green Rod 4037MOD, 0.512" -13.00mm CHQ Steel Spec 4037MOD STCC:3312448: Wire Rods	BIS-2018-0006-35952
		2	Cold Heading Qual WR, Green Rod SAE 1541 FG, 0.413" -10.50mm CHQ Steel Spec 1541 FGP STCC:3312448: Wire Rods	38092

Protest No.	Entry No.	Line No.	Product Description	Exclusion Request No.
3802-20-100917	9RK-2683769-0	1	Cold Heading Qual WR, Green Rod 10B30SKFG, 0.484"-12.30 CHQ Steel Spec 10B30 SKFG STCC:3312445: Wire Rods Iors	27032
		2	Cold Heading Qual WR, Green Rod 10B23M, 0.484"-12.30 CHQ Steel Spec 10B23M STCC:3312448: Wire Rods	26702
		3	Cold Heading Qual WR, Green Rod 4135HM SKFG, 0.512"-13.00 CHQ Steel Spec 4135HM STCC:3312448: Wire Rods	BIS-2018-0006-39108

Protest No.	Entry No.	Line No.	Product Description	Exclusion Request No.
3802-20-100918	9RK-2688457-7	1	Cold Heading Qual WR, Green Rod 1335 FG, 0.640" – 16.30 CHQ Steel Spec 1335SKFG STCC:3312448: Wire Rods	37994
		2	Cold Heading Qual WR, Green Rod 4135HM SKFG, 0.512" – 13.00 CHQ Steel Spec 4135HM STCC:3312448: Wire Rods	BIS-2018-0006-39108

Protest No.	Entry No.	Line No.	Product Description	Exclusion Request No.
3802-20-100933	9RK-2691970-4	1	Cold Heading Qual WR, Green Rod 1335 FG, 0.625"-15.90mm CHQ Steel Spec 1335 SKFG STCC: 3312448:Wire Rods	37917
		2	Cold Heading Qual WR, Green Rod SAE 4135H FG, 0.625" – 15.90mm CHQ Steel Spec 4135HM STCC:3312448: Wire Rods	BIS-2018-0006-39238

Protest No.	Entry No.	Line No.	Product Description	Exclusion Request No.
3802-20-100959	9RK-2694788-7	1	Cold Heading Qual WR, Green Rod 1008 AKFG, 0.413"- 10.50mm CHQ Steel Spec 1008AKFG STCC:3312448: Wire Rods	BIS-2018-0006-42830
		2	Cold Heading Qual WR, Green Rod 1008 AKFG, 0.413"- 10.50mm CHQ Steel Spec 1008AKFG STCC:3312448: Wire Rods	BIS-2018-0006-38879

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100939	9RK-2702349-8	1 & 3	Cold Heading Qual WR, Green Rod 1038 CG, 0.512"-13.00mm CHQ Steel Spec 1038CG 1038 C 33/64 STCC: 3312448:Wire Rods	BIS-2018-0006-38652

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100921	9RK-2703589-8	1	Cold Heading Qual WR, Green Rod 1541 GFKS, 0.512"-13.00mm CHQ Steel Spec 1541 FGP STCC: 3312448:Wire Rods	38544
		2-3	Cold Heading Qual WR, Green Rod 4135HM SKFG, 0.512"-13.00mm CHQ Steel Spec 4135HM 4135 F 33/64 STCC: 3312448:Wire Rods	BIS-2018-0006-39108

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100975	9RK-2706196-9	1	Cold Heading Qual WR, Green Rod SAE 4135H FG, 0.472" - 12.00mm CHQ Steel Spec 4135HM 4135 F 15/32 STCC: 3312445:Wire Rods Iors	BIS-2018-0006-42775
		2	Cold Heading Qual WR, Green Rod SAE 1541 FG, 0.563" -14.00mm CHQ Steel Spec 1541 FGP STCC:3312448: Wire Rods	38111

Protest No.	Entry No.	Line No.	Product Description	Exclusion Request No.
3802-20-100922	9RK-2710691-3	1	Cold Heading Qual WR, Green Rod 10B21 MSKFG, 0.327"-8.30mm CHQ Steel Spec 10B21M STCC: 3312448:Wire Rods	22375
		2	Cold Heading Qual WR, Green Rod SAE 1541 FG, 0.327"-8.30mm CHQ Steel Spec FGP STCC: 3312448:Wire Rods	38472
		3	Cold Heading Qual WR, Green Rod 1010 AKFG, 0.335"-8.50mm ASTN F2282-1010 STCC: 3312448:Wire Rods	BIS-2018-0006-42557
		4	Cold Heading Qual WR, Green Rod SAE 1038 CG, 0.256"-6.50mm CHQ Steel Spec 1038CG STCC: 3312448:Wire Rods	BIS-2018-0006-39145

Protest No.	Entry No.	Line No.	Product Description	Exclusion Request No.
3802-20-100965	9RK-2716349-2	1	Cold Heading Qual WR, Green Rod SAE 10B21M FG, 0.413" -10.50mm CHQ Steel Spec 10B21M STCC: 3312448:Wire Rods	22696
		2	Cold Heading Qual WR, Green Rod 1008 AKFG, 0.413" -10.50mm CHQ Steel Spec 1008AFKG STCC: 3312448:Wire Rods	BIS-2018-0006-42830

Protest No.	Entry No.	Line No.	Product Description	Exclusion Request No.
3802-20-100863 <sup>1</sup>	9RK-2694392-8	1	Cold Heading Qual WR, Green Rod SAE 4037 FG, 0.327" -8.30mm CHQ Steel Spec 4037 STCC:3312448: Wire Rods	BIS-2018-0006-39162
		3	Cold Heading Qual WR, Green Rod SAE 1038 CG, 0.472" -12.00mm CHQ Steel Spec 1038CG STCC:3312448: Wire Rods	BIS-2018-0006-39169

<sup>1</sup> Because Plaintiff has already received a duty refund in relation to Line No. 2 of Entry No. 9RK-26943928, any claims to refunds on duties paid under Line No. 2 of Entry No. 9RK-26943928 are abandoned.

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100867 <sup>2</sup>	9RK-2703668-0	1	Cold Heading Qual WR, Green Rod 4135HM SKFG 0.512" -13.00mm CHQ Steel Spec 4135HM STCC: 3312448:Wire Rods	BIS-2018-0006-39108

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100871 <sup>3</sup>	9RK-2709715-3	2	Cold Heading Qual WR, Green Rod 4037MOD, 0.512" – 13.00mm CHQ Steel Spec 4037MOD STCC: 3312448:Wire Rods	BIS-2018-0006-35952

<b>Protest No.</b>	<b>Entry No.</b>	<b>Line No.</b>	<b>Product Description</b>	<b>Exclusion Request No.</b>
3802-20-100894 <sup>4</sup>	9RK-2697607-6	3	Cold Heading Qual WR, Green Rod SAE 1038 CG, 0.413"-10.50mm CHQ Steel Spec 1038CG STCC: 3312448:Wire Rods	BIS-2018-0006-36039

<sup>2</sup> Because Plaintiff has already received a duty refund in relation to Line No. 2 of Entry No. 9RK-2703668-0, any claims to refunds on duties paid under Line No. 2 of Entry No. 9RK-2703668-0 are abandoned.

<sup>3</sup> Because Plaintiff has already received a duty refund in relation to Line No. 1 of Entry No. 9RK-2709715-3, any claims to refunds on duties paid under Line No. 1 of Entry No. 9RK-2709715-3 are abandoned.

<sup>4</sup> Because Plaintiff has already received a duty refund in relation to Line Nos. 1-2 of Entry No. 9RK-2697607-6, any claims to refunds on duties paid under Line Nos. 1-2 of Entry No. 9RK-2697607-6 are abandoned.



**SCHEDULE B****TO STIPULATED JUDGMENT FOR COURT NO. 21-00038**

The following exclusions apply to the stipulated merchandise at issue in this action.

<b>Exclusion Request No.</b>	<b>Product Description</b>	<b>HTSUS No.</b>	<b>Entry No. (Line No.)</b>
BIS-2018-0006-35952	Steel Grade SAE 4037, 33/64 (.515"), Cold Heading Quality (CHQ), Hot-rolled wire-rod used for steel fastener manufacturing. Tolerance range of plus/minus 0.5 millimeters from the original specified diameter in inches.	7227.90.6010	9RK-2729744-9 (1) 9RK-2709826-8 (1) 9RK-2729594-8 (1) 9RK-2703916-3 (1) 9RK-2715464-0 (2) 9RK-2729706-8 (1) 9RK-2709715-3 (2)
BIS-2018-0006-36039	Steel Grade SAE 1038, 13/32 (.406"), Cold Heading Quality (CHQ), Hot rolled wire rod used for steel fastener manufacturing. Tolerance range of plus/minus 0.5 millimeters from the original specified diameter in inches.	7213.91.3015	9RK-2716549-7 (1) 9RK-2729735-7 (1) 9RK-2694000-7 (1) 9RK-2694065-0 (1) 9RK-2694073-4 (1) 9RK-2696156-5 (3) 9RK-2709571-0 (1) 9RK-2697607-6 (3)
BIS-2018-0006-38652	Steel Grade SAE 1038, 33/64 (.515"), Cold Heading Quality (CHQ), Hot rolled wire rod used for steel fastener manufacturing. Tolerance range of plus/minus 0.5 millimeters from the original specified diameter in inches.	7213.91.3015	9RK-2702349-8 (1, 3)
BIS-2018-0006-39108	Steel Grade 4135 33/64, (.515"), Cold Heading Quality (CHQ), Hot Rolled Wire Rod used for steel fastener manufacturing. Tolerance range of plus/minus 0.5 millimeters from the original specified diameter in inches.	7227.90.6030	9RK-2705861-9 (1) 9RK-2716549-7 (1) 9RK-2683769-0 (3) 9RK-2688457-7 (2) 9RK-2703589-8 (2-3) 9RK-2703668-0 (1)

Exclusion Request No.	Product Description	HTSUS No.	Entry No. (Line No.)
BIS-2018-0006-39145	Steel Grade SAE 1038, 17/64 (.265"), Cold Heading Quality (CHQ), Hot rolled wire rod used for steel fastener manufacturing. Tolerance range of plus/minus 0.5 millimeters from the original specified diameter in inches.	7213.91.3015	9RK-2718068-6 (2) 9RK-2722374-2 (2-3) 9RK-2729668-0 (1) 9RK-2710691-3 (4)
BIS-2018-0006-39169	Steel Grade SAE 1038, 15/32 (.468"), Cold Heading Quality (CHQ), Hot rolled wire rod used for steel fastener manufacturing. Tolerance range of plus/minus 0.5 millimeters from the original specified diameter in inches.	7213.91.3015	9RK-2719673-2 (2) 9RK-2694451-2 (1) 9RK-2694392-8 (3)
BIS-2018-0006-39188	Steel Grade SAE 1045, 13/32 (.406"), Cold Heading Quality (CHQ), Hot rolled wire rod used for steel fastener manufacturing. Tolerance range of plus/minus 0.5 millimeters from the original specified diameter in inches.	7213.91.3093	9RK-2694151-8 (1) 9RK-2716549-7 (2) 9RK-2722374-2 (3)
BIS-2018-0006-39234	Steel Grade 4135 07/16, (.438"), Cold Heading Quality (CHQ), Hot Rolled Wire Rod used for steel fastener manufacturing. Tolerance range of plus/minus 0.5 millimeters from the original specified diameter in inches.	7227.90.6030	9RK-2704797-6 (2) 9RK-2703518-7 (1) 9RK-2726756-6 (1)
BIS-2018-0006-39238	Steel Grade 4135 39/64, (.609"), Cold Heading Quality (CHQ), Hot Rolled Wire Rod used for steel fastener manufacturing. Tolerance range of plus/minus 0.5 millimeters from the original specified diameter in inches.	7227.90.6035	9RK-2701189-9 (2) 9RK-2707550-6 (2) 9RK-2691970-4 (2)

Exclusion Request No.	Product Description	HTSUS No.	Entry No. (Line No.)
BIS-2018-0006-42775	Steel Grade 4135 15/32, (.468"), Cold Heading Quality (CHQ), Hot Rolled Wire Rod used for steel fastener manufacturing. Tolerance range of plus/minus 0.5 millimeters from the original specified diameter in inches.	7227.90.6030	9RK-2706196-9 (1)
BIS-2018-0006-42830	Steel Grade SAE 1008 13/32 (.406"), Cold Heading Quality (CHQ), Hot rolled wire rod used for steel fastener manufacturing. Tolerance range of plus/minus 0.5 millimeters from the original specified diameter in inches.	7213.91.3015	9RK-2708153-8 (2) 9RK-2709769-0 (1) 9RK-2694748-1 (1-2) 9RK-2694788-7 (1) 9RK-2716349-2 (2)
BIS-2018-006-44376	Steel Grade 4135 23/64, (.359"), Cold Heading Quality (CHQ), Hot Rolled Wire Rod used for steel fastener manufacturing. Tolerance range of plus/minus 0.5 millimeters from the original specified diameter in inches.	7227.90.6030	9RK-2705861-9 (1) 9RK-2705862-7 (1) 9RK-2705919-5 (1-3) 9RK-2705804-9 (3)
BIS-2018-0006-38813	Steel Grade SAE 4037, 29/64 (.453"), Cold Heading Quality (CHQ), Hot Rolled Wire Rod used for steel fastener manufacturing with an outside diameter (including tolerances) of 11 to 12 millimeters.	7213.91.3015	9RK-2719673-2 (1)
BIS-2018-0006-38879	Steel Grade 4135 13/32, (.406"), Cold Heading Quality (CHQ), Hot Rolled Wire Rod used for steel fastener manufacturing with an outside diameter (including tolerances) of 10 to 11 millimeters.	7227.90.6030	9RK-2694788-7 (2)

Exclusion Request No.	Product Description	HTSUS No.	Entry No. (Line No.)
BIS-2018-0006-39162	Steel Grade SAE 1038, 33/64 (.515"), Cold Heading Quality (CHQ), Hot rolled wire rod used for steel fastener manufacturing with an outside diameter (including tolerances) of 8 to 9 millimeters.	7227.90.6010	9RK-2694392-8 (1)
BIS-2018-0006-42557	Steel Grade SAE 1038, 21/64 (.328"), Cold Heading Quality (CHQ), Hot rolled wire rod used for steel fastener manufacturing with an outside diameter (including tolerances) of 8 to 9 millimeters.	7213.91.3015	9RK-2710691-3 (3)
22375	Steel Grade SAE 10B21 21/64 (.328 INCHES), Cold Heading Quality (CHQ), Hot Rolled Wire Rod for steel fastener manufacturing with an outside diameter (including tolerances) of 8 to 9 millimeters.	7227.90.6010	9RK-2710691-3 (1)
22696	Steel Grade SAE 10B21 21/64 (.406 INCHES), Cold Heading Quality (CHQ), Hot Rolled Wire Rod for steel fastener manufacturing with an outside diameter (including tolerances) of 10 to 11 millimeters.	7227.90.6010	9RK-2729668-0 (1) 9RK-2696156-5 (1) 9RK-2716349-2 (1)
27019	Steel Grade SAE 10B30 29/64 (.453 inches), Cold Heading Quality (CHQ), Hot rolled wire rod for steel fastener manufacturing with an outside diameter (including tolerances) of 11 to 12 millimeters.	7227.90.6010	9RK-2726756-6 (2)
38092	Steel Grade SAE 1541, size 13/32 (.406 INCHES), Cold Heading Quality (CHQ), Hot rolled wire rod used for steel fastener manufacturing with an outside diameter (including tolerances) of 10 to 11 millimeters.	7213.91.3015	9RK-2729706-8 (2)

Exclusion Request No.	Product Description	HTSUS No.	Entry No. (Line No.)
38111	Steel Grade SAE 1541 09/16 (.562 inches), Cold Heading Quality (CHQ), Hot Rolled Wire Rod used for steel fastener manufacturing with an outside diameter (including tolerances) of 14 to 15 millimeters.	7213.99.0030	9RK-2703916-3 (2) 9RK-2706196-9 (2)
38437	Steel Grade SAE 1541 19/16 (.296 inches), Cold Heading Quality (CHQ), Hot Rolled Wire Rod used for steel fastener manufacturing with an outside diameter (including tolerances) of 7 to 8 millimeters.	7227.90.6010	9RK-2708153-8 (1)
38472	Steel Grade SAE 1541 21/64 (.328 inches), Cold Heading Quality (CHQ), Hot Rolled Wire Rod used for steel fastener manufacturing with an outside diameter (including tolerances) of 8 to 9 millimeters.	7213.91.3015	9RK-2718068-6 (1) 9RK-2710691-3 (2)
38544	Steel Grade SAE 1541 33/64 (.515 inches), Cold Heading Quality (CHQ), Hot Rolled Wire Rod used for steel fastener manufacturing with an outside diameter (including tolerances) of 13 millimeters.	7213.91.3015	9RK-2707550-6 (1) 9RK-2715464-0 (1) 9RK-2703589-8 (1)
26300	Steel Grade SAE 10B21 41/64 (.640 INCHES), Cold Heading Quality (CHQ), Hot Rolled Wire Rod for steel fastener manufacturing.	7227.90.6010	9RK-2722374-2 (1)
26702	Steel Grade SAE 10B23 31/64 (.484 INCHES), Cold Heading Quality (CHQ), Hot Rolled Wire Rod for steel fastener manufacturing.	7227.90.6010	9RK-2683769-0 (2)

Exclusion Request No.	Product Description	HTSUS No.	Entry No. (Line No.)
27032	Steel Grade SAE 10B30, 31/64 (.484 inches), Cold Heading Quality (CHQ), Hot rolled wire rod used for steel fastener manufacturing.	7227.90.6010	9RK-2683769-0 (1)
37917	Steel Grade SAE 1335, 05/08 (.625 INCHES), Cold Heading Quality (CHQ), Hot rolled wire rod used for steel fastener manufacturing.	7227.90.6010	9RK-2707550-6 (3) 9RK-2691970-4 (1)
37994	Steel Grade SAE 1335, 41/64 (.640 inches), Cold Heading Quality (CHQ), Hot rolled wire rod used for steel fastener manufacturing.	7227.90.6010	9RK-2688457-7 (1)
38040	Steel Grade SAE 1541, 05/08 size 0.625 INCHES, Cold Heading Quality (CHQ), hot rolled wire rod used for steel fastener manufacturing.	7213.99.0030	9RK-2701189-9 (1)
59425	Steel Grade SAE 1541 01/04 (.250 INCHES), Cold Heading Quality (CHQ), Hot Rolled Wire Rod used for steel fastener manufacturing.	7213.91.3015	9RK-2722374-2 (1)
83117	Steel Grade SAE 1340 47/64 (.734 INCHES), Cold Heading Quality (CHQ), Hot Rolled Wire Rod Used for Steel Fastener Manufacturing.	7213.99.0030	9RK-2696156-5 (2)
91515	Steel Grade SAE 4135 41/64 (.640 INCHES), Cold Heading Quality (CHQ), Hot Rolled Wire Rod used for steel fastener manufacturing.	7227.90.6035	9RK-2709826-8 (2) 9RK-2716549-7 (2-3)