Exhibit
A



CEQUENT PERFORMANCE PRODUCTS, INC.

47912 Halyard Drive • Suite 100 • Plymouth, MI 48170 • www.cequentgroup.com

CUSTOMER SERVICE: PHONE 800-632-3290 • FAX 800-249-3827

EMAIL: customerservice@cequentgroup.com • technicalservice@cequentgroup.com

DISTRIBUTION CENTERS

USA **California** **Distribution Center** 3181 S. Willow Ave. #104 Fresno, CA 93725	USA **Florida** **Distribution Center** 105-2 L M Gaines Blvd. Starke, FL 32091-4535	USA **Indiana** **Distribution Center** 84 Commercial Road Building 3 Huntington, IN 46750	USA **Pennsylvania** **Distribution Center** 3 Bishop Place Camp Hill, PA 17011	USA **Texas** **Distribution Center** 1205 Post & Paddack Suite 100 Grand Prairie, TX 75050	CANADA **Burlington** **Distribution Centre** 1549 Yorkton Court Unit #3 Burlington, ON L7P 5B7

© Cequent Performance Products, Inc. All products & specifications subject to change without notice. Printed in the USA P/N 98929-2012 REV A 11/11 for 2012

0 16118 11339 6

TOWING TRAILERING & VEHICLE ACCESSORIES

PRODUCT We Are Towing CATALOG

TOWING TRAILERING & VEHICLE ACCESSORIES



HELPING NORTH SINCE 1911 AMERICA TOW

Draw-Tite®

Draw-Tite® is the premier manufacturer of custom trailer hitches. Each hitch must pass rigorous testing to become TESTED TOUGH™. Draw-Tite® leads the industry with the most complete line of hitches, towing products and vehicle accessories.



Reese®

Reese® Elite fifth wheels, Sidewinder, 5th Airborne and weight distribution systems are designed and built to haul up to the heaviest of loads. Known for "Pioneering Performance", Reese® offers a complete line of towing accessories.



Hidden Hitch®

Hidden Hitch® hitches and receivers have a low profile design to complement the rear contours and aero dynamic styling of today's vehicles.





Tekonsha® is the industry leader and innovator in electric trailer brake controls and breakaway systems. No matter what you are towing, Tekonsha can help you stop it.

TEKONSHA®



Fulton® jacks, winches, and couplers combine innovative design, performance and style with quality and value, making them the most popular choice for recreational and marine applications.

FULTON



Bargman® lighting products provide complete solutions for the recreational vehicle industry. As a leading supplier to the transportation industry since 1931, Bargman has established itself as a trusted partner to commercial truck and light-duty trailer manufacturers and their respective aftermarkets.

Bargman®



Bulldog® gooseneck hitches, gooseneck couplers, trailer couplers and wedge-latch elements feature a high-strength, heavy duty design that makes them the most Tough and Trusted. Bulldog® jacks are also Tough and Trusted and built with uncompromising strength and materials engineered to hold up under rigorous working conditions.

TOUGH & TRUSTED BULLDOG®



Tow Ready® products include T-One® connectors, ModuLite® power modules, electrical adapters and accessories, to help make your electrical connections easy. Tow Ready® also has receiver and coupler locks for securing your hitches and trailers, and pintle hooks and accessories.

TOW-READY®

Wesbar® Incandescent and LED vehicle and trailer lighting products provide an extensive variety of lighting and reflector options for agricultural, industrial, marine, recreational, and utility trailers and vehicles. The expanded offering of waterproof, sealed and submersible lighting products is a result of Wesbar's continued commitment to the Marine Trailer Market.

Wesbar®



Pro Series™ offers the best values in one of the widest product lines in the towing market including fifth wheel hitches, gooseneck hitches, weight distribution system, receiver hitches, jacks, couplers, winches, brake controls, breakaway system and cargo management items. Pro Series products are made by the best names in the business and balance performance and features with price.



PRO SERIES®

ROLA® is the source for all things cargo management. Rola helps you transport gear on your roof, hitch or inside your vehicle, and always in style. For the best bike carriers, cargo baskets & bags, roof racks, luggage carriers, organizers and accessories, ROLA has you covered.



ROLA®

WE URGE ALL OTHER HITCH MANUFACTURERS TO ADOPT TEST STANDARDS AS DEMANDING AS OURS



Our hitches have been Tested Tough more than twice as long as *most other* hitch brands have been around.

We've been testing beyond industry standards for more than **45 years**. That's important, because you can be sure even Draw-Tite hitches purchased long ago were Tested Tough by a constantly updated, state-of-the-art lab – and have been tested by generations of field experience ever since.

We test every component of every hitch, every which way, and we always have.

TESTED TOUGH MEANS YOU GET A HITCH WITH:

Maximum Flexibility—Deflection testing 20% beyond industry standard requirements means more resilience, greater shock absorption.

Optimum Strength—Fatigue testing well beyond industry specs ensures fracture-free, long-term performance.

Tested Tough means that you get a hitching system that holds its own no matter what the world can dish out.

Draw-Tite®

AMERICA'S FAVORITE HITCH

WWW.DRAW-TITE.COM


DRAW-TITE® CUSTOM BUILT TRAILER HITCHES

DRAW-TITE GIVES YOU TOP QUALITY IN EVERY HITCH AND RECEIVER WE MAKE:

- Solid all-welded construction for maximum strength and safety.
- Custom built according to manufacturer vehicle weight specifications and model year to ensure perfect fit and top towing performance.
- All Draw-Tite hitches meet and exceed V-5 and SAE J684 standards and are inspected for quality and workmanship.
- Computer-aided design and fatigue stress testing ensure a strong design that will withstand road abuse within specified capacities.
- Finish is black powder coat over e-coat (industry leading corrosion resistance).
- Backed by a nationwide limited lifetime warranty.

SELECTING THE RIGHT HITCH

- Determine the Gross Trailer Weight and Gross Tongue Weight of the trailer that you would like to tow. Check with the trailer manufacturer or if you are not sure, have it towed to a government inspection scale. Remember that the G.T.W. should reflect a fully loaded trailer.
- Consult your vehicle's owner's manual to determine if your vehicle is rated to safely tow your trailer.
- Use the chart to figure out the minimum "Class" of hitch that is required.
- Consult a Draw-Tite dealer to find out which hitches are available for your vehicle. Or visit our website: www.draw-tite.com.



RECEIVER HITCHES

Draw-Tite® Receiver Hitches - Class I / II
Draw-Tite® Receiver Hitches - Class III / IV
Draw-Tite® Receiver Hitches - Class V Ultra Frame®
Draw-Tite® Receiver Hitches - Class V Ultra Frame® with Cast Center Section
Hidden Hitch® Receiver Hitches - Class I / II
Hidden Hitch® Receiver Hitches - Class III / IV
Reese® Receiver Hitches - Class III / IV
Reese® Receiver Hitches - Class V Titan®
Reese® Receiver Hitches - Super Titan®
Pro Series™ Receiver Hitches - Class I / II
Pro Series™ Receiver Hitches - Class III / IV

ULTRA FRAME® CLASS V RECEIVER HITCHES

Ultra Frame® Class V Receiver Hitches
Ultra Frame® Class V Receiver Hitches with Cast Center Section
Ultra Frame® Ball Mounts
Ultra Frame® Hitch Balls
Ultra Frame® Trunnion Style Weight Distribution
Ultra Frame® Work Truck Hitch

TITAN® CLASS V RECEIVER HITCHES

Titan® Class V Receiver Hitches
Titan® Ball Mounts
Titan® Hitch Balls
Titan® Receiver Extensions / Reducer Sleeve
Titan® Trunnion Style Weight Distribution

SUPER TITAN® RECEIVER HITCHES

Super Titan® Receiver Hitches
Super Titan® Ball Mounts with Hitch Balls
Super Titan® Accessories
Super Titan® Pintle Hook Mount

MOTORHOME HITCHES

Multi-Fit Motorhome Hitches
Universal Motorhome Hitches
Motorhome Class III Receiver Hitches
Step Bumper Hitches
Class III Roll Pan Receiver Hitches

FRONT MOUNTED RECEIVERS / ACCESSORIES

Front Mounted Receivers
Front Mounted Receiver Accessories

HITCH ACCESSORIES

Combo Bars
Fasteners
Safety Chain Loops



©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012

DRAW-TITE GIVES YOU TOP QUALITY IN EVERY HITCH AND RECEIVER WE MAKE:



- Solid all-welded construction for maximum strength and safety
- Custom built according to manufacturer & model year to ensure perfect fit and top towing performance
- Computer-aided design and fatigue stress testing ensure a strong design that will withstand road abuse within specified capacities
- All hitches meet or exceed V-5 and SAE J684 standards and are inspected for quality and workmanship
- Backed by a nationwide limited lifetime warranty
- Black powder coat finish over e-coat



CLASS I SPORTFRAME™ Part No. Series 24XXX

- 1-1/4" square receiver tube opening
- Economical Class I receiver style hitch
- Comes complete with removable drawbar, pin and clip
- Attaches to vehicle frame and/or bumper
- Black powder coat finish over e-coat

	Maximum Rated Capacity	
Description	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 2,000 lbs.	Up to 200 lbs.



CLASS II FRAME HITCH™ Part No. Series 36XXX

- 1-1/4" square receiver tube opening
- Receiver style hitch with removable drawbar
- Comes complete with removable drawbar, pin and clip
- Neat appearance and all frame attachments
- Black powder coat finish over e-coat

	Maximum Rated Capacity	
Description	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 3,500 lbs.	Up to 300 lbs.

NOW YOU SEE IT, NOW YOU DON'T!

ONCE INSTALLED THE INVISIBLE HITCH IS COMPLETELY HIDDEN FROM VIEW!



28351
sold separately

28451
sold separately

CLASS I/II INVISI-HITCH™ Part No. Series 285XX

- 1-1/4" square receiver tube opening
- One piece construction for a stronger hitch and easier installation
- Direct attachment allows hitch to be affixed well under vehicle for minimum visibility when drawbar is removed
- Includes mounting hardware and easy to read instructions
- Removable drawbar & accessory adapter sold separately
- Black powder coat finish over e-coat

	Maximum Rated Capacity	
Description	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 3,500 lbs.	Up to 300 lbs.

New

HITCH / ACCESSORY - RATING GUIDE

Scan this barcode with your mobile phone to access:
www.cequentgroup.com/accessrating.asp

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012

DRAW-TITE®



CLASS III/IV SQUARE & ROUND TUBE MAX-FRAME™ RECEIVERS Part No. Series 75XXX

- 2" square receiver tube opening
- Max-Frame receivers are designed for customers with trucks, vans and sport utility vehicles
- Designed for today's stylish sport utility vehicles, round tube receivers complement vehicle appearance
- All frame attachments
- Black powder coat finish over e-coat
- Ball mount, hitch ball, wiring and accessories sold separately
- J-Pin® ready
- 75XXX ball mounts #23 and #53 are available (Max-Frame Program)

15% MORE TW/GTW

Description	Maximum Rated Capacity Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 8,000 lbs.	Up to 1,200 lbs.
Weight Distributing	Up to 12,000 lbs.	Up to 1,200 lbs.



CLASS III/IV MAX-E-LOADER™ RECEIVERS Part No. Series 41XXX

- 2" square receiver tube opening
- Max-E-Loader's long side bracket design distributes the towing load over a greater portion of the tow vehicle frame
- All frame attachments
- J-Pin® ready
- Black powder coat finish over e-coat

Description	Maximum Rated Capacity Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 6,000 lbs.	Up to 600 lbs.
Weight Distributing	Up to 12,000 lbs.	Up to 1,200 lbs.



See page A-5 for accessories for the Ultra Frame Receivers

CLASS V ULTRA FRAME® RECEIVERS Part No. Series 419XX

- 2" square receiver tube opening
- Designed for full-size long wheelbase trucks, vans and utility vehicles with full frames and heavy-duty suspensions
- Ideal for high tongue weight applications (Example: Toy Hauler)
- Strong, secure heavy-duty side bracket design
- All frame attachments
- J-Pin® ready
- Black powder coat finish over e-coat
- **NEW!** Redesign of Ultra Frame® receivers to include Cast Center Section
  - New rugged appearance
  - Cast steel material
  - Bigger chain loops
  - Tighter ball mount fit
  - Reinforced pin hole



ULTRA FRAME® RECEIVERS
With Cast Center Section

15% MORE TW/GTW

Description	Maximum Rated Capacity Gross Trailer Wt.	Tongue Wt.
CLASS V ULTRA FRAME® RECEIVERS		
Weight Carrying	Up to 15,000 lbs.	Up to 1,500 lbs.
Weight Distributing	Up to 16,000 lbs.	Up to 1,600 lbs.
CLASS V ULTRA FRAME® RECEIVERS WITH CAST CENTER SECTION		
Weight Carrying	Up to 16,000 lbs.	Up to 2,400 lbs.
Weight Distributing	Up to 16,000 lbs.	Up to 1,600 lbs.

NOTE: Contact Customer Service for availability of new Cast Center Section part numbers

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012

ULTRA FRAME® SOLID SHANK BALL MOUNTS



Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
4280	12,000/1,200	1-1/4"	8-1/2"	1"	2"	1
4284	12,000/1,200	1-1/4"	12"	1"	2"	1
4281	12,000/1,200	1-1/4"	8-1/2"	3"	4"	3
4285	12,000/1,200	1-1/4"	12"	3"	4"	3
4282	12,000/1,200	1-1/4"	9-1/2"	5"	6"	3
4283	12,000/1,200	1-1/4"	9-1/2"	7"	8"	3


ULTRA FRAME® HITCH BALLS



All hitch balls designed with wrench flats

Ball Dia. A	Finish		Shank Dia. B	Shank Length C	Drawbar Thickness Range	GTW GVWR Rating
	Zinc	Chrome				
2-5/16"	**63835**	**63834**	1-1/4"	2-3/4"	3⁄8"-1"	12,000
2-5/16"	-	**63836**	1-1/4"	2-3/4"	3/8"-1"	14,000
2-5/16"	-	**63840**	1-1/4"	2-3/4"	3/8"-1"	20,000

ULTRA FRAME® WEIGHT DISTRIBUTING TRUNNION STYLE


66131

- Raised hitch ball platform eliminates the need for raised hitch balls
- Easy-to-use serrated washer
- Forged ball platform and spring bar mounts
- Rated up to 15,000 lbs. GTW / 1,500 lbs. TW

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
66131	Weight Distibuting Hitch	15,000 lbs.	1,500

Use Shank #63970 or #63971

See page A-4 for Ultra Frame™ Receivers

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012

ULTRA FRAME® WORK TRUCK HITCH

MANUFACTURED FOR SERVICE BODY & FLAT BED STAKE TRUCKS




#41991 - 62" Center Section

MIX & MATCH CENTER SECTION AND SIDE BRACKETS



#4916 - Side Bracket Kit



#4907 - Side Bracket Kit



#58374 - End Caps are also available




#41990 - 44" Center Section

- VERSATILE FOR VARIOUS MAKES AND MODELS
- FABRICATION KIT REQUIRES WELDING
- 41991 SATISFIES DOT SEC. 393 .86 (B) (1)

ULTRA FRAME® SERVICE BODY RECEIVERS

Part No.	Description	GTW	TW
41991-07	Includes 41991 (62") & 4907	16,000 lbs.	1,600 lbs.
41991-16	Includes 41991 (62") & 4916	16,000 lbs.	1,600 lbs.
41990-07	Includes 41990 (44") & 4907	16,000 lbs.	1,600 lbs.
41990-16	Includes 41990 (44") & 4916	16,000 lbs.	1,600 lbs.

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012



HIDDEN HITCH - FEATURES AND BENEFITS

- Low profile design to compliment the rear contours and aerodynamic styling of today's vehicles
- Removable drawbars and ball mounts enhance the appearance of the vehicle when not in use
- Custom designed hitches are specific to vehicle type and model year for simple installation and superior fit
- Custom designed hitches reduce cutting of bumper and drilling
- All hitches meet or exceed V-5 and SAE J684 standards and are inspected for quality and workmanship
- Backed by a nationwide limited lifetime warranty
- Black powder coat finish over e-coat



CLASS I Part No. Series 6XXXX

- Sleek design built to enhance the rear contour of the vehicle in 1-1/4" square drawbar
- Comes complete with removable drawbar, pin and clip
- Hitch ball, wiring and accessories sold separately
- Contoured round tube design where appropriate

	Maximum Rated Capacity	
Description	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 2,000 lbs.	Up to 200 lbs.



CLASS II Part No. Series 9XXXX

- 1-1/4" square receiver tube opening
- One piece construction for a stronger hitch and easier installation
- Direct attachment allows hitch to be affixed well under vehicle for minimum visibility when drawbar is removed
- Comes complete with removable drawbar, pin and clip
- Hitch ball, wiring and accessories sold separately

	Maximum Rated Capacity	
Description	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 3,500 lbs.	Up to 300 lbs.

NOW YOU SEE IT, NOW YOU DON'T!

ONCE INSTALLED THE INVISIBLE HITCH IS COMPLETELY HIDDEN FROM VIEW!



28351
sold separately

28451
sold separately

CLASS I/II INVISI-HITCH™ Part No. Series 285XX

- 1-1/4" square receiver tube opening
- One piece construction for a stronger hitch and easier installation
- Direct attachment allows hitch to be affixed well under vehicle for minimum visibility when drawbar is removed
- Includes mounting hardware and easy to read instructions
- Drawbar, accessory adapter, hitch ball, wiring and accessories sold separately

	Maximum Rated Capacity	
Description	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 3,500 lbs.	Up to 300 lbs.

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012





MORE TW/GTW

CLASS III/IV SERIES Part No. Series 7XXXX, 825XX, 87XXX

- 2" square receiver tube opening
- Includes mounting hardware and easy to read instructions
- Ball mount sold separately on 825XX
- Ball mount, hitch ball, wiring and accessories sold separately
- J-Pin® ready (Only on new hitch designs)
- 7XXXX & 87XXX ball mounts #127 and #139 are available (Receiver Plus Program)

Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 8,000 lbs.	Up to 1,200 lbs.
Weight Distributing	Up to 12,000 lbs.	Up to 1,200 lbs.



CLASS III/IV UNIVERSAL MULTI-FIT RECEIVER

- SHIPPED IN RETAIL CARTON
- Up to 6,000 lbs. / 600 lbs. WC - 10,000 lbs. / 1,000 lbs. WD
- Designed to fit a wide range of pick-up trucks
- Includes hitch receiver cover, mounting hardware and easy to read instructions
- Ball mount, hitch ball, wiring and accessories sold separately

Part No.	Description
82000	Class III/IV Multi-Fit Receiver

New

HITCH / ACCESSORY - RATING GUIDE

Scan this barcode with your mobile phone to access:
www.cequentgroup.com/accessrating.asp

QUICK DEFINITIONS

GTW = Gross Trailer Weight ... Weight of the trailer fully loaded

TW = Tongue Weight ... Weight exerted by the trailer coupler on the hitch ball

WC = Weight Carrying ... Tow rating capacity of a hitch without a weight distributing system

WD = Weight Distributing ... Tow rating capacity of a hitch when using a weight distributing system

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012

REESE

REESE GIVES YOU TOP QUALITY IN EVERY HITCH AND RECEIVER WE MAKE:



- Solid all-welded construction for maximum strength and safety
- Custom built according to manufacturer & model year to ensure perfect fit and top towing performance
- Computer-aided design and fatigue stress testing ensure a strong design that will withstand road abuse within specified capacities
- All hitches meet or exceed V-5 and SAE J684 standards and are inspected for quality and workmanship
- Backed by a nationwide limited lifetime warranty
- Black powder coat finish over e-coat

CLASS III/IV PROFESSIONAL RECEIVERS

Part No. Series 33XXX, 44XXX



- 2" square receiver tube opening
- Round tube designs available on some models
- Includes distinctive patented collar and plug
- Ball mount, pin & clip sold separately
- Many applications are "no drill" for fast and easy installation
- Black powder coat finish over e-coat

15% MORE TW/GTW

Description	Maximum Rated Capacity Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 8,000 lbs.	Up to 1,200 lbs.
Weight Distributing	Up to 12,000 lbs.	Up to 1,200 lbs.

CLASS III/IV PREMIUM RECEIVERS

Part No. Series 35XXX, 36XXX, 37XXX



- 2" square receiver tube opening
- Round tube designs available on some models
- Boxed for easy shipping
- Includes distinctive patented collar and plug
- Ball mount, pin & clip sold separately
- Designed for a great custom fit
- Many applications are "no drill" for fast and easy installation
- Black powder coat finish over e-coat

Description	Maximum Rated Capacity Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 7,500 lbs.	Up to 750 lbs.
Weight Distributing	Up to 12,000 lbs.	Up to 1,200 lbs.

QUICK DEFINITIONS

GTW = Gross Trailer Weight ... Weight of the trailer fully loaded
TW = Tongue Weight ... Weight exerted by the trailer coupler on the hitch ball
WC = Weight Carrying ... Tow rating capacity of a hitch without a weight distributing system
WD = Weight Distributing ... Tow rating capacity of a hitch when using a weight distributing system

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012



CLASS III/IV MULTI-FIT RECEIVERS

REESE

Part No. 37034, 37051, 37069, 37152

- 2” square receiver tube opening
- 4 hitch models fit full-size pick-up trucks, SUVs and full-size vans, and light pick-up trucks
- 37034 & 37051 features a contemporary round tube design
- Boxed for easy shipping
- Includes distinctive patented collar and plug
- Ball mount, pin & clip sold separately
- Black powder coat finish over e-coat
- Limited 3 year warranty

	Maximum Rated Capacity	
Description	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 7,000 lbs.	Up to 700 lbs.
Weight Distributing	Up to 12,000 lbs.	Up to 1,200 lbs.

CLASS V TITAN® RECEIVERS Part No. Series 45XXX



See page A-11 for accessories for the Titan Receivers

- 2-1⁄2” square receiver tube opening
- Designed for full-size long wheelbase trucks, vans and utility vehicles with full frames and heavy-duty suspensions
- Ideal for high tongue weight applications (Toy Hauler & Commercial)
- Strong, secure heavy-duty side bracket design
- All frame attachments
- Pin, clip and receiver tube cover included
- Welded electrical bracket included

	Maximum Rated Capacity	
Description	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 18,000 lbs.	Up to 2,000 lbs.
Weight Distributing	Up to 18,000 lbs.	Up to 2,500 lbs.

New

HITCH / ACCESSORY - RATING GUIDE

Scan this barcode with your mobile phone to access:
www.cequentgroup.com/accessrating.asp

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012



CLASS V TITAN® RECEIVERS Part No. Series 45XXX

REESE

- Large 2-1/2" square receiver opening allows for larger capabilities
- Designed for heavy duty use with 3/4 & 1-ton vehicles only
- Fits most full-size pickups and SUVs
- Designed to fit with standard factory step bumper
- Ideal for high tongue weight applications (Toy Hauler & Commercial)

Description	Maximum Rated Capacity Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 18,000 lbs.	Up to 2,000 lbs.
Weight Distributing	Up to 18,000 lbs.	Up to 2,500 lbs.



45322 45122

TITAN® BALL MOUNTS

- 2-1/2" square shank for use exclusively with Titan® receivers

Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
45122	14,000/1,400	1-1/4"	9-1/2"	1-1/2"	3"	3
45123	13,000/1,300	1-1/4"	10"	3-1/2"	5"	3
45291	13,000/1,300	1-1/4"	10-1/2"	-	7-3/4"	3
45322	18,000/2,000	1-1/4"	10"	1-1/2"	3"	3
45323	18,000/2,000	1-1/4"	10"	3-1/2"	5"	3



45325

Part No.	Description	Rating (lbs.) GTW/TW	Shank Length	Ball Size
45325	Titan® Tri-Ball Mount, Hollow Shank, Black Balls	2,000/200 10,000/1,000 14,000/1,400	8-3/4" 8-3/4" 7-1/2"	1-7/8" 2" 2-5/16"



All hitch balls built with wrench flats

TITAN® HITCH BALLS

Ball Dia. A	Finish Zinc	Finish Chrome	Shank Dia. B	Shank Length C	Drawbar Thickness Range	GTW GVWR Rating
2-5/16"	-	**63836**	1-1/4"	2-3/4"	3/8"-1"	14,000
2-5/16"	-	**63840**	1-1/4"	2-3/4"	3/8"-1"	20,000

TITAN® RECEIVER EXTENSIONS

- Ideal for slide-out campers with extended overhangs
- 2" opening for use w/standard ball mounts & hitch-mounted accessories
- For use with Titan® receivers only
- Integrated electrical bracket attached



45292

Part No.	Description	Length	WC(lbs.)	WD(lbs.)
45292	Receiver Extension	24"	6,000	8,000
		34"	4,500	6,000
45018	Receiver Extension	41"	5,000	7,500
		48"	4,000	6,000



58102

TITAN® REDUCER SLEEVE

- Reduces 2-1/2" Titan® receiver to 2" opening for hitch-mounted accessories

Part No.	Description
58102	Titan® Reducer Sleeve from 2-1/2" to 2"



TITAN® WEIGHT DISTRIBUTING TRUNNION STYLE

- Trunnion style WD kit with integrated cams for use with Dual Cam Sway Control
- Perfect for use with horse trailers and RV's with **heavy tongue** weights, great for agricultural, marine and recreational use
- Adjustable hitch bar sold separately

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
66006	Weight Distibuting Hitch	17,000 lbs.	1,700

Use Shank #54976 or #54977

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012



















SUPER TITAN® 4000 - 25K

- Large 3” square receiver opening
- Rated for 25,000 lbs. weight carry capacity; 4,000 lbs. tongue weight
- Dual stacked receiver tubes for proper height adjustments
- Two electrical plug and air brake hook up mounting locations for easy trailer attachments
- For frame widths from 34” to 34-1/2”
- Air brake fittings for easy trailer hookups
- 2-5/16” ball and ball mount included
- Pin & clip included

Note: 38124 is 14-1/2” from bottom of frame to bottom of dual stacked receiver tube Note: 38208 is 10-1/2” from bottom of frame to bottom of dual stacked receiver tube

Part No.	Description
38124	Super Titan® 4000 25K Weld-On Receiver w/3” Sq. Ball Mount & 2-5/16” Ball, Includes 3/4” Pin & Clip
38208	Super Titan® 4000 25K Bolt-On Receiver w/3” Sq. Dual Ball Mount, 2” & 2-5/16” Balls, Includes 3/4” Pin & Clip

SUPER TITAN® 3000 - 20K

- Large 3” square receiver opening
- 20,000 lbs. weight carry capacity; 3,000 lbs. tongue weight
- Adjustable cross tube for proper height
- Two electrical plug and air brake hook up mounting locations for easy trailer attachments
- Air brake hook up locations
- 2-5/16” ball and ball mount included
- Pin & clip included
- For frame widths from 33-1/2” to 34-1/2”
- Welds to frame of vehicle

Note: 38023 is 10” from bottom of frame to bottom of receiver tube
Note: 38211 is 14-1/2” from bottom of frame to bottom of receiver tube

Part No.	Description
38023	Super Titan® 3000 20K Weld-On Receiver w/3” Sq. Ball Mount & 2-5/16” Ball, Includes 3/4” Pin & Clip
38211	Super Titan® 3000 20K Weld-On Receiver w/3” Sq. Ball Mount & 2-5/16” Ball, Includes 3/4” Pin & Clip

SUPER TITAN® DUAL BALL MOUNT

- For 3” square receivers • 9” Length
- Includes 2” (17,000 lbs.) & 2-5/16” (25,000 lbs.) hitch balls

Part No.	Description
38180	Super Titan® Dual Ball Mount

SUPER TITAN® ACCESSORIES

Part No.	Description
58388	Super Titan® 3/4” Hitch Pin and Clip for 3”Square
38735	Super Titan® Reducer Sleeve from 3” to 2”

SUPER TITAN® PINTLE HOOK MOUNT

- Designed for 3” receivers
- Converts 3” receivers for use with pintle-type trailers, quickly and easily
- Provides mounting for both ball and combo pintle hooks
- Pin and clip must be ordered separately (3/4” hitch pin diameter required)

Part No.	Description
38186	Super Titan® Pintle Hook Mount, 25,000 lbs. capacity

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012

PRO SERIES™ RECEIVER HITCHES

- Solid all-welded construction for maximum strength and safety
- Custom built according to manufacturer & model year to ensure perfect fit and top towing performance
- Computer-aided design and fatigue stress testing ensure a strong design that will withstand road abuse within specified capacities
- All hitches meet or exceed V-5 and SAE J684 standards and are inspected for quality and workmanship
- Backed by a nationwide 3-year limited warranty
- Black powder coat finish over e-coat



CLASS I RECEIVERS Part No. Series 51XXX

- 1-1/4" square receiver tube opening
- Economical Class I receiver style hitch
- Comes complete with removable drawbar, pin and clip
- Attaches to vehicle frame and/or bumper
- Black powder coat finish over e-coat

	Maximum Rated Capacity	
Description	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 2,000 lbs.	Up to 200 lbs.



CLASS II RECEIVERS Part No. Series 51XXX

- 1-1/4" square receiver tube opening
- Receiver style hitch with removable drawbar
- Comes complete with removable drawbar, pin and clip
- Neat appearance and all frame attachments
- Black powder coat finish over e-coat

	Maximum Rated Capacity	
Description	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 3,500 lbs.	Up to 300 lbs.



CLASS III/IV SQUARE & ROUND TUBE RECEIVERS

Part No. Series 51XXX

- 2" square receiver tube opening
- Pro Series™ receivers are designed for customers with trucks, vans and sport utility vehicles
- Designed for today's stylish sport utility vehicles, round tube receivers complement vehicle appearance
- All frame attachments
- J-Pin® ready
- Black powder coat finish over e-coat

	Maximum Rated Capacity	
Description	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 6,000 lbs.	Up to 600 lbs.
Weight Distributing	Up to 10,500 lbs.	Up to 1,050 lbs.

QUICK DEFINITIONS

GTW = Gross Trailer Weight ... Weight of the trailer fully loaded

TW = Tongue Weight ... Weight exerted by the trailer coupler on the hitch ball

WC = Weight Carrying ... Tow rating capacity of a hitch without a weight distributing system

WD = Weight Distributing ... Tow rating capacity of a hitch when using a weight distributing system

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012

MULTI-FIT MOTORHOME HITCH



5350

- 2" receiver tube accepts all standard utility ball mounts, providing ball height adjustment for level towing
- Simple three-piece construction makes assembly and installation fast and easy
- Attachment hardware included
- J-Pin® ready
- Black powder coat finish over e-coat

Part No.	Description
5350	Motorhome Hitch, Adjusts 24"-46" wide 6,000/750 lbs. WD – 5,000/500 lbs. WC

UNIVERSAL MOTORHOME HITCH



82200

- Frame brackets are adjustable

Part No.	Description
82200	Motorhome Hitch, Adjusts 31"-46" wide 6,000/750 lbs. WD – 5,000/500 lbs. WC
82201	Motorhome Hitch, Adjusts 47"-71" wide 3,500/300 lbs. WC

MOTORHOME CLASS III RECEIVER



36010

- Features adjustable brackets to fit different frame widths
- Ideal for Class A & Class C motorhomes
- 2" hitch box opening

Part No.	Description
36010	5,000 WC, universal up to 46" wide

STEP BUMPER HITCHES



81378

- Do not exceed maximum GTW of bumper or hitch
- Not to be used with weight distributing systems
- May require modification or additional spacers for installation on late model pick-ups

Part No.	Description
81378	Class II Step Bumper and Receiver Hitch not for use with weight distributing equipment

CLASS III ROLL PAN RECEIVERS Part No. Series 8257X




82574

- Up to 5,000 lbs. / 500 lbs. WC - 7,500 lbs. / 750 lbs. WD
- Designed to fit late model pick-up trucks with factory close-out panels or after-market roll pans
- May require cutting of the roll pan
- May require use of a flip-down license plate bracket - not included
- Includes mounting hardware and easy to read instructions

Part No.	Year	Application	Roll Pan Style	O.E.M. or Aftermarket	Through License Plate or Below	Spare tire May Be Retained Under Vehicle Except
82574	88-00	Chevy/GMC Full Size Pickup Old Body Style	1	Aftermarket	Through	P245/75R16, P265/75R16 on short box models only
82575	99-05	Chevy/GMC New Body Style	1	Aftermarket	Through	P245/75R16 on short box models only
82571	83-04	Chevy/GMC S-10, S-15, Sonoma	2	OEM	Through	All on short box only

ROLLPAN



©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012





6495



6980



6715



6758



5443



49802



6771

FRONT MOUNTED RECEIVERS

Part No. Series 65XXX

- Up to 9,000 lbs. Line Pull / 500 lbs.TW
- 2" square receiver tube opening
- Front mounted receivers offer a secure and useful attachment point
- All frame attachments
- J-Pin® ready
- Black powder coat finish over e-coat

WINCH ADAPTER

Our front mounted receivers are rated for 9,000 lbs. line pull. This makes them ideal for use with winches. We offer a winch adapter that connects the winch to the receiver. They accept most models of Superwinch, Ramsey and Warn. Will not fit with S-4500 Superwinch.

Part No.	Description
6495	Winch Mounting Plate
6980	Handle Kit for #6495 Winch Mounting Plate

SPARE TIRE CARRIER

The spare tire carrier is ideal for relocating spare tires to the front of the vehicle using a front mounted receiver. It has a universal bolt pattern for mounting a variety of tire sizes.

Part No.	Description
6715	Spare Tire Carrier

WORK STEP

The work step is useful for gaining access to engine compartment, particularly with 4WD vehicles. Can also be used on rear Class III/IV receivers.

Part No.	Description
6758	Work Step

LICENSE PLATE ADAPTER

Some States and Provinces require a front license plate. The license plate adapter offers a simple solution where the front hitch interferes with the plate.

Part No.	Description
5443	License Plate Adapter

FOLD DOWN LICENSE PLATE HOLDER

Part No.	Description
49802	Fold Down License Plate Holder

RECEIVER TUBE SKID SHIELD

Off road enthusiasts know what this one is for. It is recommended for use with receivers that are mounted below the bumper.

Part No.	Description
6771	Receiver Tube Skid Shield

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012



COMBO BARS - UNPAINTED

Designed for use in fabricating undercar receiver hitches when a receiver is not available.


- Made of cold formed structural tubing
- Sized and punched to fit all common weight distributing hitch ball mounts or utility ball mounts

Part No.	Length	Dia.	Ring
2850	6"	2" x 2"	Standard
11081	8"	2" x 2"	Standard
2851	12"	2" x 2"	Standard
2898	18"	2" x 2"	Standard
2852	24"	2" x 2"	Standard
2853	36"	2" x 2"	Standard
2854	48"	2" x 2"	Standard
3006	6"	1-1/4" x 1-1/4"	Standard
5691	12"	2" x 2"	Cast
5692	18"	2" x 2"	Cast
11029	18"	2-1/2" x 2-1/2"	Cast



COMBO BARS - PAINTED

Part No.	Length	Dia.	Ring
80806	6"	2" x 2"	Standard
80812	12"	2" x 2"	Standard
80818	18"	2" x 2"	Standard



FASTENERS

- Bulk Packaged

Part No.	Description
1591	Fastener Assortment (Hex bolts, blocks, etc...)
49803	Fastener Assortment (Carriage bolts, blocks, etc...)



SAFETY CHAIN LOOPS

Part No.	Description
4234	2,000 lbs. Class I Safety Chain Loop
1962	5,000 lbs. Class II/III Safety Chain Loop
34141	10,000 lbs. Class IV Safety Chain Loop

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012


580400

BULLDOG® LIFELONG® LOCKS DELIVER TRIPLE SECURITY

- Stronger Break Resistance
- Dual Self-locking Design
- High Security Square Key Design
- Includes Dust Cap

LIFELONG® HITCH LOCKS WITH 5/8" DIAMETER

Part No.	Description
580400	Chrome Bent Shank Lock for Class III & IV
580401	Chrome Dogbone Lock for Class III & IV
580402	Stainless Steel Dogbone Lock for Class III & IV


580401


580402

LIFELONG® TRAILER LOCK

Part No.	Description
580403	Chrome Coupler Lock


580403

LIFELONG® COMBO LOCK

Part No.	Description
580404	Chrome Combo Lock Set, 5/8" Dogbone Receiver and Coupler, for Class III & IV


580404


580405

BULLDOG® LOCKS

- Includes Dust Cap
- Easy Access Models Feature Side Key Entry, Sliding Dust Cap, Lock Housing Rotates 360°

HITCH LOCKS WITH 5/8" AND 1/2" DIAMETER

Part No.	Description
580405	Stainless Steel Dogbone Lock w/Sleeve for 1-1/4" & 2" Square Receivers
580406	Stainless Steel Combo Lock Set, 5/8" Dogbone Lock w/Sleeve for 1-1/4" & 2" Square Receivers and Coupler
580407	Easy Access Lock w/Sleeve for I-1/4" & 2" Square Receivers


580406


580407

TRAILER LOCKS

Part No.	Description
580408	Stainless Steel Coupler Lock
580409	Easy Access Long Coupler Lock
580410	Easy Access Adjustable Coupler Lock
TK100 0100	Trailer Keeper® Lock - Heavy-duty, hardened steel construction. Adjustable to fit most trailer wheels up to 15". Includes brass lock and key set.


580408


580409


580410


TK100 0100

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012



HITCH LOCKS WITH 5/8" AND 1/2" DIAMETER

Part No.	Description
63234*	Dogbone Lock w/Sleeve for 1-1/4", 2" & 2-1/2" Square Receivers
63248	Bent Pin Lock w/Extra Pin for 1-1/4" & 2" Square Receivers

** not compatible with 18K Titan® Receivers*



HITCH LOCKS WITH 1/2" DIAMETER

Part No.	Description
63224	Bent Pin Lock for 1-1/4" Square Receivers



HITCH LOCKS WITH 5/8" DIAMETER

Part No.	Description
63223	Bent Pin Lock for 2" & 2-1/2" Square Receivers
63252	Dogbone Lock for 2-1/2" Square Receivers, 3-1/2" Span, Class V New
63253	Bent Pin Lock for 2-1/2" Square Receivers, 3-1/2" Span, Class V



TRAILER LOCKS

Part No.	Description
63225	Coupler Lock
63230	Brass Coupler Lock
63226	Universal Coupler Lock
63227	Coupler Lock for 2-5/16" Ball
63228	Coupler Lock for 2" Ball



COMBO LOCKS (HITCH, 5/8" & 1/2" DIA., AND TRAILER)

Part No.	Description
63249	Combo Lock Set, Bent Pin/Brass Coupler, for 1-1/4" & 2" Square Receivers
63250	Combo Lock Set, Dogbone Receiver/Coupler, for 1-1/4" & 2" Square Receivers



SILENT HITCH PIN AND LOCK SYSTEM

Eliminates noise associated with hitch accessories rattling against receiver tube. Unique design holds drawtube tight inside hitch receiver tube. For use with hollow shank ball mounts only.

Part No.	Description
63232	Class III Silent Hitch Pin, 5/8" design for 2" Square Receivers w/lock and wrench
63232-025	Class III Silent Hitch Pin, 5/8" design (25 pack)
63146	Silent Hitch Pin w/Handle and Clip, 5/8" for 2" Square Receivers
63145-025	Silent Hitch Pin w/Clip, 5/8" for 2" Square Receivers (25-pack)



©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012

HITCH / TRAILER / COUPLER LOCKS

Hitch Locks

Trailer Locks

Coupler Locks

Keyed Alike Hitch and Coupler Locks

Trailer Wheel Lock

Silent Hitch Pin Locks

Gooseneck Lock

Fifth Wheel Rail / King Pin Lock

RETRACTABLE CABLE LOCK

ToyLok® and Accessories

ACCESSORY LOCKS

Cable Locks

Marine Outboard Motor Lock

Spare Tire Lock



©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012


580400


580401


580402


580403


580404

BULLDOG® LIFELONG® LOCKS DELIVER TRIPLE SECURITY

- Stronger Break Resistance
- Dual Self-locking Design
- High Security Square Key Design
- Includes Dust Cap

LIFELONG® HITCH LOCKS WITH 5/8" DIAMETER

Part No.	Description
580400	Chrome Bent Shank Lock for Class III & IV
580401	Chrome Dogbone Lock for Class III & IV
580402	Stainless Steel Dogbone Lock for Class III & IV

LIFELONG® TRAILER LOCK

Part No.	Description
580403	Chrome Coupler Lock

LIFELONG® COMBO LOCK

Part No.	Description
580404	Chrome Combo Lock Set, 5/8" Dogbone Receiver and Coupler, for Class III & IV


580405


580406


580407


580408


580409


580410

BULLDOG® LOCKS

- Includes Dust Cap
- Easy Access Models Feature Side Key Entry, Sliding Dust Cap, Lock Housing Rotates 360°

HITCH LOCKS WITH 5/8" AND 1/2" DIAMETER

Part No.	Description
580405	Stainless Steel Dogbone Lock w/Sleeve for 1-1/4" & 2" Square Receivers
580406	Stainless Steel Combo Lock Set, 5/8" Dogbone Lock w/Sleeve for 1-1/4" & 2" Square Receivers and Coupler
580407	Easy Access Lock w/Sleeve for I-1/4" & 2" Square Receivers

TRAILER LOCKS

Part No.	Description
580408	Stainless Steel Coupler Lock
580409	Easy Access Long Coupler Lock
580410	Easy Access Adjustable Coupler Lock
TK100 0100	Trailer Keeper® Lock - Heavy-duty, hardened steel construction. Adjustable to fit most trailer wheels up to 15". Includes brass lock and key set.


TK100 0100

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012


63234

HITCH LOCKS WITH 5/8" AND 1/2" DIAMETER

Part No.	Description
63234*	Dogbone Lock w/Sleeve for 1-1/4", 2" & 2-1/2" Square Receivers
63248	Bent Pin Lock w/Extra Pin for 1-1/4" & 2" Square Receivers

** not compatible with 18K Titan® Receivers*


63224

HITCH LOCKS WITH 1/2" DIAMETER

Part No.	Description
63224	Bent Pin Lock for 1-1/4" Square Receivers


63223 63252

HITCH LOCKS WITH 5/8" DIAMETER

Part No.	Description
63223	Bent Pin Lock for 2" & 2-1/2" Square Receivers
63252	Dogbone Lock for 2-1/2" Square Receivers, 3-1/2" Span, Class V
63253	Bent Pin Lock for 2-1/2" Square Receivers, 3-1/2" Span, Class V


63225


63230


63226


63227


63228

TRAILER LOCKS

Part No.	Description
63225	Coupler Lock
63230	Brass Coupler Lock
63226	Universal Coupler Lock
63227	Coupler Lock for 2-5/16" Ball
63228	Coupler Lock for 2" Ball


63249 63250

COMBO LOCKS (HITCH, 5/8" & 1/2" DIA., AND TRAILER)

Part No.	Description
63249	Combo Lock Set, Bent Pin/Brass Coupler, for 1-1/4" & 2" Square Receivers
63250	Combo Lock Set, Dogbone Receiver/Coupler, for 1-1/4" & 2" Square Receivers


63232

SILENT HITCH PIN AND LOCK SYSTEM

Eliminates noise associated with hitch accessories rattling against receiver tube. Unique design holds drawtube tight inside hitch receiver tube. For use with hollow shank ball mounts only.

Part No.	Description
63232	Class III Silent Hitch Pin, 5/8" design for 2" Square Receivers w/lock and wrench
63232-025	Class III Silent Hitch Pin, 5/8" design (25 pack)
63146	Silent Hitch Pin w/Handle and Clip, 5/8" for 2" Square Receivers
63145-025	Silent Hitch Pin w/Clip, 5/8" for 2" Square Receivers (25-pack)


63145-025

©2011 Cequent Performance Products, Inc. P/N 98929-2012 Rev. A. 11/11 for 2012