Case No. 1:15-cv-02362-RBJ Document 64-28 filed 09/11/17 USDC Colorado pg 1 of 27

Bockting, W. O. (2008). Psychotherapy and the real-life experience: From gender dichotomy to gender diversity. *Sexologies, 17*(4), 211-224. doi:10.1016/j.sexol.2008.08.001

Bockting, W. O., & Coleman, E. (2007). Developmental stages of the transgender coming out process: Toward an integrated identity. In R. Ettner, S. Monstrey & A. Eyler (Eds.), *Principles of transgender medicine and surgery* (pp. 185-208). New York: The Haworth Press.

Bockting, W. O., & Goldberg, J. M. (2006). Guidelines for transgender care (special issue). *International Journal of Transgenderism, 9*(3/4).

Bockting, W. O., Knudson, G., & Goldberg, J. M. (2006). Counseling and mental health care for transgender adults and loved ones. *International Journal of Transgenderism, 9*(3/4), 35-82. doi:10.1300/J485v09n03_03

Bolin, A. (1988). *In search of Eve* (pp. 189-192). New York: Bergin & Garvey.

Bolin, A. (1994). Transcending and transgendering: Male-to-female transsexuals, dichotomy and diversity. In G. Herdt (Ed.), *Third sex, third gender: Beyond sexual dimorphism in culture and history* (pp. 447-486). New York: Zone Books.

Bornstein, K. (1994). *Gender outlaw: On men, women, and the rest of us*. New York: Routledge.

Bosinski, H. A. G., Peter, M., Bonatz, G., Arndt, R., Heidenreich, M., Sippell, W. G., & Wille, R. (1997). A higher rate of hyperandrogenic disorders in female-to-male transsexuals. *Psychoneuroendocrinology, 22*(5), 361-380. doi:10.1016/S0306-4530(97)00033-4

Brill, S. A., & Pepper, R. (2008). *The transgender child: A handbook for families and professionals*. Berkeley, CA: Cleis Press.

Brown, G. R. (2009). Recommended revisions to The World Professional Association for Transgender Health's Standards of Care section on medical care for incarcerated persons with gender identity disorder. *International Journal of Transgenderism, 11*(2), 133-139. doi:10.1080/15532730903008073

Brown, G. R. (2010). Autocastration and autopenectomy as surgical self-treatment in incarcerated persons with gender identity disorder. *International Journal of Transgenderism, 12*(1), 31-39. doi:10.1080/15532731003688970

Bullough, V. L., & Bullough, B. (1993). *Cross dressing, sex, and gender*. Philadelphia, PA: University of Pennsylvania Press.

Callen Lorde Community Health Center. (2000). *Transgender health program protocols*. Retrieved from http://www.callen-lorde.org/documents/TG_Protocol_Request_Form2.pdf

Zzyym v. Tillerson - AR 0723

Callen Lorde Community Health Center. (2011). *Transgender health program protocols.* Retrieved from http://www.callen-lorde.org/documents/TG_Protocol_Request_Form2.pdf

Canadian Association of Speech-Language Pathologists and Audiologists. http://www.caslpa.ca/

Carew, L., Dacakis, G., & Oates, J. (2007). The effectiveness of oral resonance therapy on the perception of femininity of voice in male-to-female transsexuals. *Journal of Voice, 21*(5), 591-603. doi:10.1016/j.jvoice.2006.05.005

Carnegie, C. (2004). Diagnosis of hypogonadism: Clinical assessments and laboratory tests. *Reviews in Urology, 6*(Suppl 6), S3-8.

Cattrall, F. R., & Healy, D. L. (2004). Long-term metabolic, cardiovascular and neoplastic risks with polycystic ovary syndrome. *Best Practice & Research Clinical Obstetrics & Gynaecology, 18*(5), 803-812. doi:10.1016/j.bpobgyn.2004.05.005

Center of Excellence for Transgender Health, UCSF. (2011). *Primary care protocol for transgender health care.* Retrieved from http://transhealth.ucsf.edu/trans?page=protocol-00-00

Chiñas, B. (1995). Isthmus Zapotec attitudes toward sex and gender anomalies. In S. O. Murray (Ed.), *Latin American male homosexualities* (pp. 293-302). Albuquerque, NM: University of New Mexico Press.

Clements, K., Wilkinson, W., Kitano, K., & Marx, R. (1999). HIV prevention and health service needs of the transgender community in San Francisco. *International Journal of Transgenderism, 3*(1), 2-17.

Cohen-Kettenis, P. T. (2001). Gender identity disorder in DSM? *Journal of the American Academy of Child & Adolescent Psychiatry, 40*(4), 391-391. doi:10.1097/00004583-200104000-00006

Cohen-Kettenis, P. T. (2005). Gender change in 46,XY persons with 5α-reductase-2 deficiency and 17β-hydroxysteroid dehydrogenase-3 deficiency. *Archives of Sexual Behavior, 34*(4), 399-410. doi:10.1007/s10508-005-4339-4

Cohen-Kettenis, P. T. (2006). Gender identity disorders. In C. Gillberg, R. Harrington & H. C. Steinhausen (Eds.), *A clinician's handbook of child and adolescent psychiatry* (pp. 695-725). New York: Cambridge University Press.

Cohen-Kettenis, P. T. (2010). Psychosocial and psychosexual aspects of disorders of sex development. *Best Practice & Research Clinical Endocrinology & Metabolism, 24*(2), 325-334. doi:10.1016/j.beem.2009.11.005

Cohen-Kettenis, P. T., & Kuiper, A. J. (1984). Transseksualiteit en psychothérapie. *Tijdschrift Voor Psychotherapie, 10*, 153-166.

Case No. 1:15-cv-02362-RBJ Document 64-28 filed 09/11/17 USDC Colorado pg 3 of 27

Cohen-Kettenis, P. T., Owen, A., Kaijser, V. G., Bradley, S. J., & Zucker, K. J. (2003). Demographic characteristics, social competence, and behavior problems in children with gender identity disorder: A cross-national, cross-clinic comparative analysis. *Journal of Abnormal Child Psychology, 31*(1), 41-53. doi:10.1023/A:1021769215342

Cohen-Kettenis, P. T., & Pfäfflin, F. (2003). *Transgenderism and intersexuality in childhood and adolescence: Making choices.* Thousand Oaks, CA: Sage Publications, Inc.

Cohen-Kettenis, P. T., & Pfäfflin, F. (2010). The DSM diagnostic criteria for gender identity disorder in adolescents and adults. *Archives of Sexual Behavior, 39*(2), 499-513. doi:10.1007/s10508-009-9562-y

Cohen-Kettenis, P. T., Schagen, S. E. E., Steensma, T. D., de Vries, A. L. C., & Delemarre-van de Waal, H. A. (2011). Puberty suppression in a gender-dysphoric adolescent: A 22-year follow-up. *Archives of Sexual Behavior, 40*(4), 843-847. doi:0.1007/s10508-011-9758-9

Cohen-Kettenis, P. T., Wallien, M., Johnson, L. L., Owen-Anderson, A. F. H., Bradley, S. J., & Zucker, K. J. (2006). A parent-report gender identity questionnaire for children: A cross-national, cross-clinic comparative analysis. *Clinical Child Psychology and Psychiatry, 11*(3), 397-405. doi:10.1177/1359104506059135

Cole, C. M., O'Boyle, M., Emory, L. E., & Meyer III, W. J. (1997). Comorbidity of gender dysphoria and other major psychiatric diagnoses. *Archives of Sexual Behavior, 26*(1), 13-26.

Coleman, E., Colgan, P., & Gooren, L. (1992). Male cross-gender behavior in Myanmar (Burma): A description of the acault. *Archives of Sexual Behavior, 21*(3), 313-321.

Costa, L. M., & Matzner, A. (2007). *Male bodies, women's souls: Personal narratives of Thailand's transgendered youth.* Binghamton, NY: Haworth Press.

Currah, P., Juang, R. M., & Minter, S. (2006). *Transgender rights.* Minneapolis, MN: University of Minnesota Press.

Currah, P., & Minter, S. (2000). Unprincipled exclusions: The struggle to achieve judicial and legislative equality for transgender people. *William and Mary Journal of Women and Law, 7*, 37-60.

Dacakis, G. (2000). Long-term maintenance of fundamental frequency increases in male-to-female transsexuals. *Journal of Voice, 14*(4), 549-556. doi:10.1016/S0892-1997(00)80010-7

Dahl, M., Feldman, J. L., Goldberg, J. M., & Jaberi, A. (2006). Physical aspects of transgender endocrine therapy. *International Journal of Transgenderism, 9*(3), 111-134. doi:10.1300/J485v09n03_06

Zzyym v. Tillerson - AR 0725

Case No. 1:15-cv-02362-RBJ Document 64-28 filed 09/11/17 USDC Colorado pg 4 of 27

Darney, P. D. (2008). Hormonal contraception. In H. M. Kronenberg, S. Melmer, K. S. Polonsky & P. R. Larsen (Eds.), *Williams textbook of endocrinology* (11th ed., pp. 615-644). Philadelphia: Saunders.

Davies, S., & Goldberg, J. M. (2006). Clinical aspects of transgender speech feminization and masculinization. *International Journal of Transgenderism, 9*(3-4), 167-196. doi:10.1300/J485v09n03_08

de Bruin, M. D., Coerts, M. J., & Greven, A. J. (2000). Speech therapy in the management of male-to-female transsexuals. *Folia Phoniatrica Et Logopaedica, 52*(5), 220-227.

De Cuypere, G., T'Sjoen, G., Beerten, R., Selvaggi, G., De Sutter, P., Hoebeke, P., . . . Rubens, R. (2005). Sexual and physical health after sex reassignment surgery. *Archives of Sexual Behavior, 34*(6), 679-690. doi:10.1007/s10508-005-7926-5

De Cuypere, G., Van Hemelrijck, M., Michel, A., Carael, B., Heylens, G., Rubens, R., . . . Monstrey, S. (2007). Prevalence and demography of transsexualism in Belgium. *European Psychiatry, 22*(3), 137-141. doi:10.1016/j.eurpsy.2006.10.002

De Cuypere, G., & Vercruysse, H. (2009). Eligibility and readiness criteria for sex reassignment surgery: Recommendations for revision of the WPATH standards of care. *International Journal of Transgenderism, 11*(3), 194-205. doi:10.1080/15532730903383781

de Lignières, B. (1999). Oral micronized progesterone. *Clinical Therapeutics, 21*(1), 41-60. doi:10.1016/S0149-2918(00)88267-3

De Sutter, P. (2009). Reproductive options for transpeople: Recommendations for revision of the WPATH's standards of care. *International Journal of Transgenderism, 11*(3), 183-185. doi:10.1080/15532730903383765

De Sutter, P., Kira, K., Verschoor, A., & Hotimsky, A. (2002). The desire to have children and the preservation of fertility in transsexual women: A survey. *International Journal of Transgenderism, 6*(3), retrieved from http://www.wpath.org/journal/www.iiav.nl/ezines/web/IJT/97-03/numbers/symposion/ijtvo06no03_02.htm

de Vries, A. L. C., Cohen-Kettenis, P. T., & Delemarre-van de Waal, H. A. (2006). Clinical management of gender dysphoria in adolescents. *International Journal of Transgenderism, 9*(3-4), 83-94. doi:10.1300/J485v09n03_04

de Vries, A. L. C., Doreleijers, T. A. H., Steensma, T. D., & Cohen-Kettenis, P. T. (2011). Psychiatric comorbidity in gender dysphoric adolescents. *Journal of Child Psychology and Psychiatry.* Advance online publication. doi:10.1111/j.1469-7610.2011.02426.x

Zzyym v. Tillerson - AR 0726

de Vries, A. L. C., Noens, I. L. J., Cohen-Kettenis, P. T., van Berckelaer-Onnes, I. A., & Doreleijers, T. A. (2010). Autism spectrum disorders in gender dysphoric children and adolescents. *Journal of Autism and Developmental Disorders, 40*(8), 930-936. doi:10.1007/s10803-010-0935-9

de Vries, A. L. C., Steensma, T. D., Doreleijers, T. A. H., & Cohen-Kettenis, P. T. (2010). Puberty suppression in adolescents with gender identity disorder: A prospective follow-up study. *The Journal of Sexual Medicine*. Advance online publication. doi:10.1111/j.1743-6109.2010.01943.x

Delemarre-van de Waal, H. A., & Cohen-Kettenis, P. T. (2006). Clinical management of gender identity disorder in adolescents: A protocol on psychological and paediatric endocrinology aspects. *European Journal of Endocrinology, 155*(suppl 1), S131-S137. doi:10.1530/eje.1.02231

Delemarre-van de Waal, H. A., van Weissenbruch, M. M., & Cohen Kettenis, P. T. (2004). Management of puberty in transsexual boys and girls. *Hormone Research in Paediatrics, 62*(suppl 2), 75-75. doi:10.1159/000081145

Derrig-Palumbo, K., & Zeine, F. (2005). *Online therapy: A therapist's guide to expanding your practice*. New York: W.W. Norton & Co.

Dessens, A. B., Slijper, F. M. E., & Drop, S. L. S. (2005). Gender dysphoria and gender change in chromosomal females with congenital adrenal hyperplasia. *Archives of Sexual Behavior, 34*(4), 389-397. doi:10.1007/s10508-005-4338-5

Devor, A. H. (2004). Witnessing and mirroring: A fourteen stage model. *Journal of Gay and Lesbian Psychotherapy, 8*(1/2), 41-67.

Di Ceglie, D., & Thümmel, E. C. (2006). An experience of group work with parents of children and adolescents with gender identity disorder. *Clinical Child Psychology and Psychiatry, 11*(3), 387-396. doi:10.1177/1359104506064983

Diamond, M. (2009). Human intersexuality: Difference or disorder? *Archives of Sexual Behavior, 38*(2), 172-172. doi:10.1007/s10508-008-9438-6

Dobs, A. S., Meikle, A. W., Arver, S., Sanders, S. W., Caramelli, K. E., & Mazer, N. A. (1999). Pharmacokinetics, efficacy, and safety of a permeation-enhanced testosterone transdermal system in comparison with bi-weekly injections of testosterone enanthate for the treatment of hypogonadal men. *Journal of Clinical Endocrinology & Metabolism, 84*(10), 3469-3478. doi:10.1210/jc.84.10.3469

Docter, R. F. (1988). *Transvestites and transsexuals: Toward a theory of cross-gender behavior*. New York: Plenum Press.

Drummond, K. D., Bradley, S. J., Peterson-Badali, M., & Zucker, K. J. (2008). A follow-up study of girls with gender identity disorder. *Developmental Psychology, 44*(1), 34-45. doi:10.1037/0012-1649.44.1.34

Ehrbar, R. D., & Gorton, R. N. (2010). Exploring provider treatment models in interpreting the standards of care. *International Journal of Transgenderism, 12*(4), 198-2010. doi:10.1080/15532739.2010.544235

Ekins, R., & King, D. (2006). *The transgender phenomenon*. Thousand Oaks, CA: SAGE Publications Ltd.

Eklund, P. L., Gooren, L. J., & Bezemer, P. D. (1988). Prevalence of transsexualism in the Netherlands. *British Journal of Psychiatry, 152*(5), 638-640.

Eldh, J., Berg, A., & Gustafsson, M. (1997). Long-term follow up after sex reassignment surgery. *Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery, 31*(1), 39-45.

Emerson, S., & Rosenfeld, C. (1996). Stages of adjustment in family members of transgender individuals. *Journal of Family Psychotherapy, 7*(3), 1-12. doi:10.1300/J085V07N03_01

Emory, L. E., Cole, C. M., Avery, E., Meyer, O., & Meyer III, W. J. (2003). Client's view of gender identity: Life, treatment status and outcome. *18th Biennial Harry Benjamin Symposium*, Gent, Belgium.

Ettner, R., Monstrey, S., & Eyler, A. (Eds.) (2007). *Principles of transgender medicine and surgery*. Binghamton, NY: The Haworth Press.

Eyler, A. E. (2007). Primary medical care of the gender-variant patient. In R. Ettner, S. Monstrey & E. Eyler (Eds.), *Principles of transgender medicine and surgery* (pp. 15-32). Binghamton, NY: The Haworth Press.

Factor, R. J., & Rothblum, E. (2008). Exploring gender identity and community among three groups of transgender individuals in the United States: MTFs, FTMs, and genderqueers. *Health Sociology Review, 17*(3), 235-253.

Feinberg, L. (1996). *Transgender warriors: Making history from Joan of Arc to Dennis Rodman*. Boston, MA: Beacon Press.

Feldman, J. (2005, April). *Masculinizing hormone therapy with testosterone 1% topical gel*. Paper presented at the 19th Biennial Symposium of the Harry Benjamin International Gender Dysphoria Association, Bologna, Italy.

Feldman, J. (2007). Preventive care of the transgendered patient. In R. Ettner, S. Monstrey & E. Eyler (Eds.), *Principles of transgender surgery and medicine* (pp. 33-72). Binghamton, NY: The Haworth Press.

Feldman, J., & Goldberg, J. (2006). Transgender primary medical care. *International Journal of Transgenderism, 9*(3), 3-34. doi:10.1300/J485v09n03_02

Feldman, J., & Safer, J. (2009). Hormone therapy in adults: Suggested revisions to the sixth version of the standards of care. *International Journal of Transgenderism, 11*(3), 146-182. doi:10.1080/15532730903383757

Case No. 1:15-cv-02362-RBJ Document 64-28 filed 09/11/17 USDC Colorado pg 7 of 27

Fenichel, M., Suler, J., Barak, A., Zelvin, E., Jones, G., Munro, K., . . . Walker-Schmucker, W. (2004). *Myths and realities of online clinical work, observations on the phenomena of online behavior, experience, and therapeutic relationships. A 3rd-year report from ISMHO's clinical case study group.* Retrieved May 24, 2011, from https://www.ismho.org/myths_n_realities.asp

Fenway Community Health Transgender Health Program. (2007). *Protocol for hormone therapy.* Retrieved from http://www.fenwayhealth.org/site/DocServer/Fenway_Protocols.pdf?docID=2181

Fisk, N. M. (1974). Editorial: Gender dysphoria syndrome--the conceptualization that liberalizes indications for total gender reorientation and implies a broadly based multi-dimensional rehabilitative regimen. *Western Journal of Medicine, 120*(5), 386-391.

Fitzpatrick, L. A., Pace, C., & Wiita, B. (2000). Comparison of regimens containing oral micronized progesterone or medroxyprogesterone acetate on quality of life in postmenopausal women: A cross-sectional survey. *Journal of Women's Health & Gender-Based Medicine, 9*(4), 381-387.

Frank, J. D., & Frank, J. B. (1993). *Persuasion and healing: A comparative study of psychotherapy* (Third ed.). Baltimore, MD: Johns Hopkins University Press.

Fraser, L. (2009a). Depth psychotherapy with transgender people. *Sexual and Relationship Therapy, 24*(2), 126-142. doi:10.1080/14681990903003878

Fraser, L. (2009b). Etherapy: Ethical and clinical considerations for version 7 of The World Professional Association for Transgender Health's standards of care. *International Journal of Transgenderism, 11*(4), 247-263. doi:10.1080/15532730903439492

Fraser, L. (2009c). Psychotherapy in The World Professional Association for Transgender Health's standards of care: Background and recommendations. *International Journal of Transgenderism, 11*(2), 110-126. doi:10.1080/15532730903008057

Garaffa, G., Christopher, N. A., & Ralph, D. J. (2010). Total phallic reconstruction in female-to-male transsexuals. *European Urology, 57*(4), 715-722. doi:10.1016/j.eururo.2009.05.018

Gelder, M. G., & Marks, I. M. (1969). Aversion treatment in transvestism and transsexualism. In R. Green, & J. Money (Eds.), *Transsexualism and sex reassignment* (pp. 383-413). Baltimore, MD: Johns Hopkins Press.

Gelfer, M. P. (1999). Voice treatment for the male-to-female transgendered client. *American Journal of Speech-Language Pathology, 8*(3), 201-208.

Gharib, S., Bigby, J., Chapin, M., Ginsburg, E., Johnson, P., Manson, J., & Solomon, C. (2005). *Menopause: A guide to management.* Boston, MA: Brigham and Women's Hospital.

Zzyym v. Tillerson - AR 0729

Gijs, L., & Brewaeys, A. (2007). Surgical treatment of gender dysphoria in adults and adolescents: Recent developments, effectiveness, and challenges. *Annual Review of Sex Research, 18*, 178-224.

Gold, M., & MacNish, M. (2011). *Adjustment and resiliency following disclosure of transgender identity in families of adolescents and young adults: Themes and clinical implications*. Washington, DC: American Family Therapy Academy.

Gómez-Gil, E., Trilla, A., Salamero, M., Godás, T., & Valdés, M. (2009). Sociodemographic, clinical, and psychiatric characteristics of transsexuals from Spain. *Archives of Sexual Behavior, 38*(3), 378-392. doi:10.1007/s10508-007-9307-8

Gooren, L. (2005). Hormone treatment of the adult transsexual patient. *Hormone Research in Paediatrics, 64*(Suppl 2), 31-36. doi:10.1159/000087751

Gorton, R. N., Buth, J., & Spade, D. (2005). *Medical therapy and health maintenance for transgender men: A guide for health care providers*. San Francisco, CA: Lyon-Martin Women's Health Services.

Green, R. (1987). *The "sissy boy syndrome" and the development of homosexuality*. New Haven, CT: Yale University Press.

Green, R., & Fleming, D. (1990). Transsexual surgery follow-up: Status in the 1990s. *Annual Review of Sex Research, 1*(1), 163-174.

Greenson, R. R. (1964). On homosexuality and gender identity. *International Journal of Psycho-Analysis, 45*, 217-219.

Grossman, A. H., D'Augelli, A. R., Howell, T. J., & Hubbard, S. (2006). Parent's reactions to transgender youth's gender nonconforming expression and identity. *Journal of Gay & Lesbian Social Services, 18*(1), 3-16. doi:10.1300/J041v18n01_02

Grossman, A. H., D'Augelli, A. R., & Salter, N. P. (2006). Male-to-female transgender youth: Gender expression milestones, gender atypicality, victimization, and parents' responses. *Journal of GLBT Family Studies, 2*(1), 71-92.

Grumbach, M. M., Hughes, I. A., & Conte, F. A. (2003). Disorders of sex differentiation. In P. R. Larsen, H. M. Kronenberg, S. Melmed & K. S. Polonsky (Eds.), *Williams textbook of endocrinology* (10th ed., pp. 842-1002). Philadelphia, PA: Saunders.

Hage, J. J., & De Graaf, F. H. (1993). Addressing the ideal requirements by free flap phalloplasty: Some reflections on refinements of technique. *Microsurgery, 14*(9), 592-598. doi:10.1002/micr.1920140910

Hage, J. J., & Karim, R. B. (2000). Ought GIDNOS get nought? Treatment options for nontranssexual gender dysphoria. *Plastic and Reconstructive Surgery, 105*(3), 1222-1227.

Hancock, A. B., Krissinger, J., & Owen, K. (2010). Voice perceptions and quality of life of transgender people. *Journal of Voice*. Advance online publication. doi:10.1016/j.jvoice.2010.07.013

Hastings, D. W. (1974). Postsurgical adjustment of male transsexual patients. *Clinics in Plastic Surgery, 1*(2), 335-344.

Hembree, W. C., Cohen-Kettenis, P., Delemarre-van de Waal, H. A., Gooren, L. J., Meyer III, W. J., Spack, N. P., . . . Montori, V. M. (2009). Endocrine treatment of transsexual persons: An Endocrine Society clinical practice guideline. *Journal of Clinical Endocrinology & Metabolism, 94*(9), 3132-3154. doi:10.1210/jc.2009-0345

Hill, D. B., Menvielle, E., Sica, K. M., & Johnson, A. (2010). An affirmative intervention for families with gender-variant children: Parental ratings of child mental health and gender. *Journal of Sex and Marital Therapy, 36*(1), 6-23. doi:10.1080/00926230903375560

Hoebeke, P., Selvaggi, G., Ceulemans, P., De Cuypere, G. D., T'Sjoen, G., Weyers, S., . . . Monstrey, S. (2005). Impact of sex reassignment surgery on lower urinary tract function. *European Urology, 47*(3), 398-402. doi:10.1016/j.eururo.2004.10.008

Hoenig, J., & Kenna, J. C. (1974). The prevalence of transsexualism in England and Wales. *British Journal of Psychiatry, 124*(579), 181-190. doi:10.1192/bjp.124.2.181

Hughes, I. A., Houk, C. P., Ahmed, S. F., Lee, P. A., & LWPES1/ESPE2 Consensus Group. (2006). Consensus statement on management of intersex disorders. *Archives of Disease in Childhood, 91*(7), 554-563. doi:10.1136/adc.2006.098319

Hunter, M. H., & Sterrett, J. J. (2000). Polycystic ovary syndrome: It's not just infertility. *American Family Physician, 62*(5), 1079-1095.

Institute of Medicine. (2011). *The health of lesbian, gay, bisexual, and transgender people: Building a foundation for better understanding*. Washington, DC: The National Academies Press.

Jackson, P. A., & Sullivan, G. (Eds.). (1999). *Lady boys, tom boys, rent boys: Male and female homosexualities in contemporary Thailand*. Binghamton, NY: The Haworth Press.

Jockenhövel, F. (2004). Testosterone therapy-what, when and to whom? *The Aging Male, 7*(4), 319-324. doi:10.1080/13685530400016557

Johansson, A., Sundbom, E., Höjerback, T., & Bodlund, O. (2010). A five-year follow-up study of Swedish adults with gender identity disorder. *Archives of Sexual Behavior, 39*(6), 1429-1437. doi:10.1007/s10508-009-9551-1

Joint LWPES/ESPE CAH Working Group, Clayton, P. E., Miller, W. L., Oberfield, S. E., Ritzen, E. M., Sippell, W. G., & Speiser, P. W. (2002). Consensus statement on 21-hydroxylase deficiency from the Lawson Wilkins Pediatric Endocrine Society and the European Society for Pediatric Endocrinology. *Journal of Clinical Endocrinology & Metabolism, 87*(9), 4048-4053. doi:10.1210/jc.2002-020611

Jurgensen, M., Hiort, O., Holterhus, P. M., & Thyen, U. (2007). Gender role behavior in children with XY karyotype and disorders of sex development. *Hormones and Behavior, 51*(3), 443-453. doi:0.1016/j.yhbeh.2007.01.001

Kanagalingam, J., Georgalas, C., Wood, G. R., Ahluwalia, S., Sandhu, G., & Cheesman, A. D. (2005). Cricothyroid approximation and subluxation in 21 male-to-female transsexuals. *The Laryngoscope, 115*(4), 611-618. doi:10.1097/01.mlg.0000161357.12826.33

Kanhai, R. C. J., Hage, J. J., Karim, R. B., & Mulder, J. W. (1999). Exceptional presenting conditions and outcome of augmentation mammaplasty in male-to-female transsexuals. *Annals of Plastic Surgery, 43*(5), 476-483.

Kimberly, S. (1997). I am transsexual - hear me roar. *Minnesota Law & Politics, June*, 21-49.

Klein, C., & Gorzalka, B. B. (2009). Sexual functioning in transsexuals following hormone therapy and genital surgery: A review (CME). *The Journal of Sexual Medicine, 6*(11), 2922-2939. doi:10.1111/j.1743-6109.2009.01370.x

Knudson, G., De Cuypere, G., & Bockting, W. (2010a). Process toward consensus on recommendations for revision of the DSM diagnoses of gender identity disorders by The World Professional Association for Transgender Health. *International Journal of Transgenderism, 12*(2), 54-59. doi:10.1080/15532739.2010.509213

Knudson, G., De Cuypere, G., & Bockting, W. (2010b). Recommendations for revision of the DSM diagnoses of gender identity disorders: Consensus statement of The World Professional Association for Transgender Health. *International Journal of Transgenderism, 12*(2), 115-118. doi:10.1080/15532739.2010.509215

Kosilek v. Massachusetts Department of Corrections/Maloney, C.A. No. 92-12820-MLW (U.S. Federal District Court, Boston, MA, 2002).

Krege, S., Bex, A., Lümmen, G., & Rübben, H. (2001). Male-to-female transsexualism: A technique, results and long-term follow-up in 66 patients. *British Journal of Urology, 88*(4), 396-402. doi:10.1046/j.1464-410X.2001.02323.x

Case No. 1:15-cv-02362-RBJ Document 64-28 filed 09/11/17 USDC Colorado pg 11 of 27

Kuhn, A., Bodmer, C., Stadlmayr, W., Kuhn, P., Mueller, M. D., & Birkhäuser, M. (2009). Quality of life 15 years after sex reassignment surgery for transsexualism. *Fertility and Sterility, 92*(5), 1685-1689. doi:10.1016/j.fertnstert.2008.08.126

Kuhn, A., Hiltebrand, R., & Birkhauser, M. (2007). Do transsexuals have micturition disorders? *European Journal of Obstetrics & Gynecology and Reproductive Biology, 131*(2), 226-230. doi:10.1016/j.ejogrb.2006.03.019

Landén, M., Wålinder, J., & Lundström, B. (1998). Clinical characteristics of a total cohort of female and male applicants for sex reassignment: A descriptive study. *Acta Psychiatrica Scandinavica, 97*(3), 189-194. doi:10.1111/j.1600-0447.1998.tb09986.x

Lawrence, A. A. (2003). Factors associated with satisfaction or regret following male-to-female sex reassignment surgery. *Archives of Sexual Behavior, 32*(4), 299-315. doi:10.1023/A:1024086814364

Lawrence, A. A. (2006). Patient-reported complications and functional outcomes of male-to-female sex reassignment surgery. *Archives of Sexual Behavior, 35*(6), 717-727. doi:10.1007/s10508-006-9104-9

Lev, A. I. (2004). *Transgender emergence: Therapeutic guidelines for working with gender-variant people and their families.* Binghamton, NY: Haworth Clinical Practice Press.

Lev, A. I. (2009). The ten tasks of the mental health provider: Recommendations for revision of The World Professional Association for Transgender Health's standards of care. *International Journal of Transgenderism, 11*(2), 74-99. doi:10.1080/15532730903008032

Levy, A., Crown, A., & Reid, R. (2003). Endocrine intervention for transsexuals. *Clinical Endocrinology, 59*(4), 409-418. doi:10.1046/j.1365-2265.2003.01821.x

MacLaughlin, D. T., & Donahoe, P. K. (2004). Sex determination and differentiation. *New England Journal of Medicine, 350*(4), 367-378.

Maheu, M. M., Pulier, M. L., Wilhelm, F. H., McMenamin, J. P., & Brown-Connolly, N. E. (2005). *The mental health professional and the new technologies: A handbook for practice today.* Mahwah, NJ: Lawrence Erlbaum Associates, Inc.

Malpas, J. (in press). Between pink and blue: A multi-dimensional family approach to gender nonconforming chldren and their families. *Family Process.*

Mazur, T. (2005). Gender dysphoria and gender change in androgen insensitivity or micropenis. *Archives of Sexual Behavior, 34*(4), 411-421. doi:10.1007/s10508-005-4341-x

McNeill, E. J. M. (2006). Management of the transgender voice. *The Journal of Laryngology & Otology, 120*(07), 521-523. doi:10.1017/S0022215106001174

Zzyym v. Tillerson - AR 0733

McNeill, E. J. M., Wilson, J. A., Clark, S., & Deakin, J. (2008). Perception of voice in the transgender client. *Journal of Voice, 22*(6), 727-733. doi:10.1016/j.jvoice.2006.12.010

Menvielle, E. J., & Tuerk, C. (2002). A support group for parents of gender-nonconforming boys. *Journal of the American Academy of Child & Adolescent Psychiatry, 41*(8), 1010-1013. doi:10.1097/00004583-200208000-00021

Meyer, I. H. (2003). Prejudice as stress: Conceptual and measurement problems. *American Journal of Public Health, 93*(2), 262-265.

Meyer, J. K., & Reter, D. J. (1979). Sex reassignment: Follow-up. *Archives of General Psychiatry, 36*(9), 1010-1015.

Meyer III, W. J. (2009). World Professional Association for Transgender Health's standards of care requirements of hormone therapy for adults with gender identity disorder. *International Journal of Transgenderism, 11*(2), 127-132. doi:10.1080/15532730903008065

Meyer III, W. J., Webb, A., Stuart, C. A., Finkelstein, J. W., Lawrence, B., & Walker, P. A. (1986). Physical and hormonal evaluation of transsexual patients: A longitudinal study. *Archives of Sexual Behavior, 15*(2), 121-138. doi:10.1007/BF01542220

Meyer-Bahlburg, H. F. L. (2002). Gender assignment and reassignment in intersexuality: Controversies, data, and guidelines for research. *Advances in Experimental Medicine and Biology, 511*, 199-223. doi:10.1007/978-1-4615-0621-8_12

Meyer-Bahlburg, H. F. L. (2005). Gender identity outcome in female-raised 46,XY persons with penile agenesis, cloacal exstrophy of the bladder, or penile ablation. *Archives of Sexual Behavior, 34*(4), 423-438. doi:10.1007/s10508-005-4342-9

Meyer-Bahlburg, H. F. L. (2008). Treatment guidelines for children with disorders of sex development. *Neuropsychiatrie De l'Enfance Et De l'Adolescence, 56*(6), 345-349. doi:10.1016/j.neurenf.2008.06.002

Meyer-Bahlburg, H. F. L. (2009). Variants of gender differentiation in somatic disorders of sex development. *International Journal of Transgenderism, 11*(4), 226-237. doi:10.1080/15532730903439476

Meyer-Bahlburg, H. F. L. (2010). From mental disorder to iatrogenic hypogonadism: Dilemmas in conceptualizing gender identity variants as psychiatric conditions. *Archives of Sexual Behavior, 39*(2), 461-476. doi:10.1007/s10508-009-9532-4

Meyer-Bahlburg, H. F. L. (in press). Gender monitoring and gender reassignment of children and adolescents with a somatic disorder of sex development. *Child & Adolescent Psychiatric Clinics of North America.*

Case No. 1:15-cv-02362-RBJ Document 64-28 filed 09/11/17 USDC Colorado pg 13 of 27

Meyer-Bahlburg, H. F. L., & Blizzard, R. M. (2004). Conference proceedings: Research on intersex: Summary of a planning workshop. *The Endocrinologist, 14*(2), 59-69. doi:10.1097/01.ten.0000123701.61007.4e

Meyer-Bahlburg, H. F. L., Dolezal, C., Baker, S. W., Carlson, A. D., Obeid, J. S., & New, M. I. (2004). Prenatal androgenization affects gender-related behavior but not gender identity in 5–12-year-old girls with congenital adrenal hyperplasia. *Archives of Sexual Behavior, 33*(2), 97-104. doi:10.1023/B:ASEB.0000014324.25718.51

Meyer-Bahlburg, H. F. L., Dolezal, C., Baker, S. W., Ehrhardt, A. A., & New, M. I. (2006). Gender development in women with congenital adrenal hyperplasia as a function of disorder severity. *Archives of Sexual Behavior, 35*(6), 667-684. doi:10.1007/s10508-006-9068-9

Meyer-Bahlburg, H. F. L., Migeon, C. J., Berkovitz, G. D., Gearhart, J. P., Dolezal, C., & Wisniewski, A. B. (2004). Attitudes of adult 46,XY intersex persons to clinical management policies. *The Journal of Urology, 171*(4), 1615-1619. doi:10.1097/01.ju.0000117761.94734.b7

Money, J., & Ehrhardt, A. A. (1972). *Man and woman, boy and girl*. Baltimore, MD: The Johns Hopkins University Press.

Money, J., & Russo, A. J. (1979). Homosexual outcome of discordant gender identity/role in childhood: Longitudinal follow-up. *Journal of Pediatric Psychology, 4*(1), 29-41. doi:10.1093/jpepsy/4.1.29

Monstrey, S., Hoebeke, P., Selvaggi, G., Ceulemans, P., Van Landuyt, K., Blondeel, P., . . . De Cuypere, G. (2009). Penile reconstruction: Is the radial forearm flap really the standard technique? *Plastic and Reconstructive Surgery, 124*(2), 510-518.

Monstrey, S., Selvaggi, G., Ceulemans, P., Van Landuyt, K., Bowman, C., Blondeel, P., . . . De Cuypere, G. (2008). Chest-wall contouring surgery in female-to-male transsexuals: A new algorithm. *Plastic and Reconstructive Surgery, 121*(3), 849-859. doi:10.1097/01.prs.0000299921.15447.b2

Moore, E., Wisniewski, A., & Dobs, A. (2003). Endocrine treatment of transsexual people: A review of treatment regimens, outcomes, and adverse effects. *Journal of Clinical Endocrinology & Metabolism, 88*(8), 3467-3473. doi:10.1210/jc.2002-021967

More, S. D. (1998). The pregnant man-an oxymoron? *Journal of Gender Studies, 7*(3), 319-328. doi:10.1080/09589236.1998.9960725

Mount, K. H., & Salmon, S. J. (1988). Changing the vocal characteristics of a postoperative transsexual patient: A longitudinal study. *Journal of Communication Disorders, 21*(3), 229-238. doi:10.1016/0021-9924(88)90031-7

Zzyym v. Tillerson - AR 0735

Mueller, A., Kiesewetter, F., Binder, H., Beckmann, M. W., & Dittrich, R. (2007). Long-term administration of testosterone undecanoate every 3 months for testosterone supplementation in female-to-male transsexuals. *Journal of Clinical Endocrinology & Metabolism, 92*(9), 3470-3475. doi:10.1210/jc.2007-0746

Murad, M. H., Elamin, M. B., Garcia, M. Z., Mullan, R. J., Murad, A., Erwin, P. J., & Montori, V. M. (2010). Hormonal therapy and sex reassignment: A systematic review and meta-analysis of quality of life and psychosocial outcomes. *Clinical Endocrinology, 72*(2), 214-231. doi:10.1111/j.1365-2265.2009.03625.x

Nanda, S. (1998). *Neither man nor woman: The hijras of India*. Belmont, CA: Wadsworth Publishing.

Nestle, J., Wilchins, R. A., & Howell, C. (2002). *Genderqueer: Voices from beyond the sexual binary*. Los Angeles, CA: Alyson Publications.

Neumann, K., & Welzel, C. (2004). The importance of voice in male-to-female transsexualism. *Journal of Voice, 18*(1), 153-167.

Newfield, E., Hart, S., Dibble, S., & Kohler, L. (2006). Female-to-male transgender quality of life. *Quality of Life Research, 15*(9), 1447-1457. doi:10.1007/s11136-006-0002-3

Nieschlag, E., Behre, H. M., Bouchard, P., Corrales, J. J., Jones, T. H., Stalla, G. K., . . . Wu, F. C. W. (2004). Testosterone replacement therapy: Current trends and future directions. *Human Reproduction Update, 10*(5), 409-419. doi:10.1093/humupd/dmh035

North American Menopause Society. (2010). Estrogen and progestogen use in postmenopausal women: 2010 position statement. *Menopause, 17*(2), 242-255. doi:10.1097/gme.0b013e3181d0f6b9

Nuttbrock, L., Hwahng, S., Bockting, W., Rosenblum, A., Mason, M., Macri, M., & Becker, J. (2010). Psychiatric impact of gender-related abuse across the life course of male-to-female transgender persons. *Journal of Sex Research, 47*(1), 12-23. doi:10.1080/00224490903062258

Oates, J. M., & Dacakis, G. (1983). Speech pathology considerations in the management of transsexualism-a review. *International Journal of Language & Communication Disorders, 18*(3), 139-151. doi:10.3109/13682828309012237

Olyslager, F., & Conway, L. (2007). On the calculation of the prevalence of transsexualism. Paper presented at the *World Professional Association for Transgender Health 20th International Symposium*, Chicago, Illinois. Retrieved April 22, 2010 from http://www.changelingaspects.com/PDF/2007-09-06-Prevalence_of_Transsexualism.pdf

Oriel, K. A. (2000). Clinical update: Medical care of transsexual patients. *Journal of the Gay and Lesbian Medical Association, 4*(4), 185-194. doi:1090-7173/00/1200-0185$18.00/1

Pauly, I. B. (1965). Male psychosexual inversion: Transsexualism: A review of 100 cases. *Archives of General Psychiatry, 13*(2), 172-181.

Payer, A. F., Meyer III, W. J., & Walker, P. A. (1979). The ultrastructural response of human leydig cells to exogenous estrogens. *Andrologia, 11*(6), 423-436. doi:10.1111/j.1439-0272.1979.tb02232.x

Peletz, M. G. (2006). Transgenderism and gender pluralism in southeast asia since early modern times. *Current Anthropology, 47*(2), 309-340. doi:10.1086/498947

Pfäfflin, F. (1993). Regrets after sex reassignment surgery. *Journal of Psychology & Human Sexuality, 5*(4), 69-85.

Pfäfflin, F., & Junge, A. (1998). Sex reassignment. Thirty years of international follow-up studies after sex reassignment surgery: A comprehensive review, 1961-1991. *International Journal of Transgenderism.* Retrieved from http://web.archive.org/web/20070503090247/http://www.symposion.com/ijt/pfaefflin/1000.htm

Physicians' desk reference. (61st ed.). (2007). Montvale, NJ: PDR.

Physicians' desk reference. (65th ed.). (2010). Montvale, NJ: PDR.

Pleak, R. R. (1999). Ethical issues in diagnosing and treating gender-dysphoric children and adolescents. In M. Rottnek (Ed.), *Sissies and tomboys: Gender noncomformity and homosexual childhood* (pp. 34-51). New York: New York University Press.

Pope, K. S., & Vasquez, M. J. (2011). *Ethics in psychotherapy and counseling: A practical guide* (Fourth ed.). Hoboken, NJ: John Wiley & Sons, Inc.

Prior, J. C., Vigna, Y. M., & Watson, D. (1989). Spironolactone with physiological female steroids for presurgical therapy of male-to-female transsexualism. *Archives of Sexual Behavior, 18*(1), 49-57. doi:10.1007/BF01579291

Prior, J. C., Vigna, Y. M., Watson, D., Diewold, P., & Robinow, O. (1986). Spironolactone in the presurgical therapy of male to female transsexuals: Philosophy and experience of the Vancouver Gender Dysphoria Clinic. *Journal of Sex Information & Education Council of Canada, 1*, 1-7.

Rachlin, K. (1999). Factors which influence individual's decisions when considering female-to-male genital reconstructive surgery. *International Journal of Transgenderism, 3*(3). Retrieved from http://www.WPATH.org

Case No. 1:15-cv-02362-RBJ Document 64-28 filed 09/11/17 USDC Colorado pg 16 of 27

Rachlin, K. (2002). Transgendered individuals' experiences of psychotherapy. *International Journal of Transgenderism, 6*(1). Retrieved from http://www.wpath.org/journal/www.iiav.nl /ezines/web/IJT/97-03/numbers/symposion/ijtvo06no01_03.htm.

Rachlin, K., Green, J., & Lombardi, E. (2008). Utilization of health care among female-to-male transgender individuals in the United States. *Journal of Homosexuality, 54*(3), 243-258. doi:10.1080/00918360801982124

Rachlin, K., Hansbury, G., & Pardo, S. T. (2010). Hysterectomy and oophorectomy experiences of female-to-male transgender individuals. *International Journal of Transgenderism, 12*(3), 155-166. doi:10.1080/15532739.2010.514220

Reed, B., Rhodes, S., Schofield, P. & Wylie, K. (2009). *Gender variance in the UK: Prevalence, incidence, growth and geographic distribution.* Retrieved June 8, 2011, from http://www.gires.org.uk/assets/Medpro-Assets/GenderVarianceUK-report.pdf

Rehman, J., Lazer, S., Benet, A. E., Schaefer, L. C., & Melman, A. (1999). The reported sex and surgery satisfactions of 28 postoperative male-to-female transsexual patients. *Archives of Sexual Behavior, 28*(1), 71-89. doi:10.1023/A:1018745706354

Robinow, O. (2009). Paraphilia and transgenderism: A connection with Asperger's disorder? *Sexual and Relationship Therapy, 24*(2), 143-151. doi:10.1080/14681990902951358

Rosenberg, M. (2002). Children with gender identity issues and their parents in individual and group treatment. *Journal of the American Academy of Child and Adolescent Psychiatry, 41*(5), 619-621. doi:10.1097/00004583-200205000-00020

Rossouw, J. E., Anderson, G. L., Prentice, R. L., LaCroix, A. Z., Kooperberg, C., Stefanick, M. L., . . . Johnson, K. C. (2002). Risks and benefits of estrogen plus progestin in healthy postmenopausal women: Principal results from the women's health initiative randomized controlled trial. *JAMA: The Journal of the American Medical Association, 288*(3), 321-333.

Royal College of Speech Therapists, United Kingdom. http://www.rcslt.org/

Ruble, D. N., Martin, C. L., & Berenbaum, S. A. (2006). Gender development. In N. Eisenberg, W. Damon & R. M. Lerner (Eds.), *Handbook of child psychology* (6th ed., pp. 858-932). Hoboken, NJ: John Wiley & Sons, Inc.

Sausa, L. A. (2005). Translating research into practice: Trans youth recommendations for improving school systems. *Journal of Gay & Lesbian Issues in Education, 3*(1), 15-28. doi:10.1300/J367v03n01_04

Simpson, J. L., de la Cruz, F., Swerdloff, R. S., Samango-Sprouse, C., Skakkebaek, N. E., Graham, J. M. J., . . . Willard, H. F. (2003). Klinefelter syndrome: Expanding the phenotype and identifying new research directions. *Genetics in Medicine, 5*(6), 460-468. doi:10.1097/01.GIM.0000095626.54201.D0

Zzyym v. Tillerson - AR 0738

Case No. 1:15-cv-02362-RBJ Document 64-28 filed 09/11/17 USDC Colorado pg 17 of 27

Smith, Y. L. S., Van Goozen, S. H. M., Kuiper, A. J., & Cohen-Kettenis, P. T. (2005). Sex reassignment: Outcomes and predictors of treatment for adolescent and adult transsexuals. *Psychological Medicine, 35*(1), 89-99. doi:10.1017/S0033291704002776

Sood, R., Shuster, L., Smith, R., Vincent, A., & Jatoi, A. (2011). Counseling postmenopausal women about bioidentical hormones: Ten discussion points for practicing physicians. *Journal of the American Board of Family Practice, 24*(2), 202-210. doi:10.3122/jabfm.2011.02.100194

Speech Pathology Australia. http://www.speechpathologyaustralia.org.au/

Speiser, P. W., Azziz, R., Baskin, L. S., Ghizzoni, L., Hensle, T. W., Merke, D. P., . . . Oberfield, S. E. (2010). Congenital adrenal hyperplasia due to steroid 21-hydroxylase deficiency: An endocrine society clinical practice guideline. *Journal of Clinical Endocrinology & Metabolism, 95*(9), 4133-4160. doi:10.1210/jc.2009-2631

Steensma, T. D., Biemond, R., de Boer, F., & Cohen-Kettenis, P. T. (2011). Desisting and persisting gender dysphoria after childhood: A qualitative follow-up study. *Clinical Child Psychology and Psychiatry*. Advance online publication. doi:10.1177/1359104510378303

Steensma, T. D., & Cohen-Kettenis, P. T. (2011). Gender transitioning before puberty? *Archives of Sexual Behavior, 40*(4), 649-650. doi:10.1007/s10508-011-9752-2

Stikkelbroeck, N. M. M. L., Beerendonk, C., Willemsen, W. N. P., Schreuders-Bais, C. A., Feitz, W. F. J., Rieu, P. N. M. A., . . . Otten, B. J. (2003). The long term outcome of feminizing genital surgery for congenital adrenal hyperplasia: Anatomical, functional and cosmetic outcomes, psychosexual development, and satisfaction in adult female patients. *Journal of Pediatric and Adolescent Gynecology, 16*(5), 289-296. doi:10.1016/S1083-3188(03)00155-4

Stoller, R. J. (1964). A contribution to the study of gender identity. *International Journal of Psychoanalysis, 45*, 220-226.

Stone, S. (1991). The empire strikes back: A posttransexual manifesto. In J. Epstein, & K. Straub (Eds.), *Body guards: The cultural politics of gender ambiguity* (pp. 280-304). London: Routledge.

Tangpricha, V., Ducharme, S. H., Barber, T. W., & Chipkin, S. R. (2003). Endocrinologic treatment of gender identity disorders. *Endocrine Practice, 9*(1), 12-21.

Tangpricha, V., Turner, A., Malabanan, A., & Holick, M. (2001). Effects of testosterone therapy on bone mineral density in the FTM patient. *International Journal of Transgenderism, 5*(4).

Taywaditep, K. J., Coleman, E., & Dumronggittigule, P. (1997). Thailand (muang thai). In R. Francouer (Ed.), *International encyclopedia of sexuality*. New York: Continuum.

Zzyym v. Tillerson - AR 0739

The World Professional Association for Transgender Health, Inc. (2008). *WPATH clarification on medical necessity of treatment, sex reassignment, and insurance coverage in the U.S.A.* Retrieved from http://www.wpath.org/documents/Med%20Nec%20on%202008%20Letterhead.pdf

Thole, Z., Manso, G., Salgueiro, E., Revuelta, P., & Hidalgo, A. (2004). Hepatotoxicity induced by antiandrogens: A review of the literature. *Urologia Internationalis, 73*(4), 289-295. doi:10.1159/000081585

Tom Waddell Health Center. (2006). *Protocols for hormonal reassignment of gender.* Retrieved from http://www.sfdph.org/dph/comupg/oservices/medSvs/hlthCtrs/TransGendprotocols122006.pdf

Tsoi, W. F. (1988). The prevalence of transsexualism in Singapore. *Acta Psychiatrica Scandinavica, 78*(4), 501-504. doi:10.1111/j.1600-0447.1988.tb06373.x

Van den Broecke, R., Van der Elst, J., Liu, J., Hovatta, O., & Dhont, M. (2001). The female-to-male transsexual patient: A source of human ovarian cortical tissue for experimental use. *Human Reproduction, 16*(1), 145-147. doi:10.1093/humrep/16.1.145

van Kesteren, P. J. M., Asscheman, H., Megens, J. A. J., & Gooren, L. J. G. (1997). Mortality and morbidity in transsexual subjects treated with cross-sex hormones. *Clinical Endocrinology, 47*(3), 337-343. doi:10.1046/j.1365-2265.1997.2601068.x

van Kesteren, P. J. M., Gooren, L. J., & Megens, J. A. (1996). An epidemiological and demographic study of transsexuals in the Netherlands. *Archives of Sexual Behavior, 25*(6), 589-600. doi:10.1007/BF02437841

van Trotsenburg, M. A. A. (2009). Gynecological aspects of transgender healthcare. *International Journal of Transgenderism, 11*(4), 238-246. doi:10.1080/15532730903439484

Vancouver Coastal Health, Vancouver, British Columbia, Canada. http://www.vch.ca/

Vanderburgh, R. (2009). Appropriate therapeutic care for families with pre-pubescent transgender/gender-dissonant children. *Child and Adolescent Social Work Journal, 26*(2), 135-154. doi:10.1007/s10560-008-0158-5

Vilain, E. (2000). Genetics of sexual development. *Annual Review of Sex Research, 11*, 1-25.

Wålinder, J. (1968). Transsexualism: Definition, prevalence and sex distribution. *Acta Psychiatrica Scandinavica, 43*(S203), 255-257.

Wålinder, J. (1971). Incidence and sex ratio of transsexualism in Sweden. *The British Journal of Psychiatry, 119*(549), 195-196.

Wallien, M. S. C., & Cohen-Kettenis, P. T. (2008). Psychosexual outcome of gender-dysphoric children. *Journal of the American Academy of Child & Adolescent Psychiatry, 47*(12), 1413-1423. doi:10.1097/CHI.0b013e31818956b9

Case No. 1:15-cv-02362-RBJ Document 64-28 filed 09/11/17 USDC Colorado pg 19 of 27

Wallien, M. S. C., Swaab, H., & Cohen-Kettenis, P. T. (2007). Psychiatric comorbidity among children with gender identity disorder. *Journal of the American Academy of Child & Adolescent Psychiatry, 46*(10), 1307-1314. doi:10.1097/chi.0b013e3181373848

Warren, B. E. (1993). Transsexuality, identity and empowerment. A view from the frontlines. *SIECUS Report, February/March,* 14-16.

Weitze, C., & Osburg, S. (1996). Transsexualism in Germany: Empirical data on epidemiology and application of the German Transsexuals' Act during its first ten years. *Archives of Sexual Behavior, 25*(4), 409-425.

Wilson, J. D. (1999). The role of androgens in male gender role behavior. *Endocrine Reviews, 20*(5), 726-737. doi:10.1210/er.20.5.726

Winter, S. (2009). Cultural considerations for The World Professional Association for Transgender Health's standards of care: The Asian perspective. *International Journal of Transgenderism, 11*(1), 19-41. doi:10.1080/15532730902799938

Winter, S., Chalungsooth, P., Teh, Y. K., Rojanalert, N., Maneerat, K., Wong, Y. W., . . . Macapagal, R. A. (2009). Transpeople, transprejudice and pathologization: A seven-country factor analytic study. *International Journal of Sexual Health, 21*(2), 96-118. doi:10.1080/19317610902922537

Wisniewski, A. B., Migeon, C. J., Malouf, M. A., & Gearhart, J. P. (2004). Psychosexual outcome in women affected by congenital adrenal hyperplasia due to 21-hydroxylase deficiency. *The Journal of Urology, 171*(6, Part 1), 2497-2501. doi:10.1097/01.ju.0000125269.91938.f7

World Health Organization. (2007). *International classification of diseases and related health problems-10th revision.* Geneva, Switzerland: World Health Organization.

World Health Organization. (2008). *The world health report 2008: Primary health care - now more than ever.* Geneva, Switzerland: World Health Organization.

WPATH Board of Directors. (2010). *De-psychopathologisation statement released May 26, 2010.* Retrieved from http://wpath.org/announcements_detail.cfm?pk_announcement=17

Xavier, J. M. (2000). *The Washington, D.C. transgender needs assessment survey: Final report for phase two.* Washington, DC: Administration for HIV/AIDS of District of Columbia Government.

Zhang, G., Gu, Y., Wang, X., Cui, Y., & Bremner, W. J. (1999). A clinical trial of injectable testosterone undecanoate as a potential male contraceptive in normal Chinese men. *Journal of Clinical Endocrinology & Metabolism, 84*(10), 3642-3647. doi:10.1210/jc.84.10.3642

Zzyym v. Tillerson - AR 0741

Zitzmann, M., Saad, F., & Nieschlag, E. (2006, April). *Long term experience of more than 8 years with a novel formulation of testosterone undecanoate (nebido) in substitution therapy of hypogonadal men.* Paper presented at European Congress of Endocrinology, Glasgow, UK, April 2006.

Zucker, K. J. (1999). Intersexuality and gender identity differentiation. *Annual Review of Sex Research, 10*(1), 1-69.

Zucker, K. J. (2004). Gender identity development and issues. *Child and Adolescent Psychiatric Clinics of North America, 13*(3), 551-568. doi:10.1016/j.chc.2004.02.006

Zucker, K. J. (2006). 'I'm half-boy, half-girl'': Play psychotherapy and parent counseling for gender identity disorder. In R. L. Spitzer, M. B. First, J. B. W. Williams & M. Gibbons (Eds.), *DSM-IV-TR casebook, volume 2* (pp. 321-334). Arlington, VA: American Psychiatric Publishing, Inc.

Zucker, K. J. (2010). The DSM diagnostic criteria for gender identity disorder in children. *Archives of Sexual Behavior, 39*(2), 477-498. doi:10.1007/s10508-009-9540-4

Zucker, K. J., & Bradley, S. J. (1995). *Gender identity disorder and psychosexual problems in children and adolescents.* New York: Guilford Press.

Zucker, K. J., Bradley, S. J., Owen-Anderson, A., Kibblewhite, S. J., & Cantor, J. M. (2008). Is gender identity disorder in adolescents coming out of the closet? *Journal of Sex & Marital Therapy, 34*(4), 287-290. doi:10.1080/00926230802096192

Zucker, K. J., Bradley, S. J., Owen-Anderson, A., Kibblewhite, S. J., Wood, H., Singh, D., & Choi, K. (in press). Demographics, behavior problems, and psychosexual characteristics of adolescents with gender identity disorder or transvestic fetishism. *Journal of Sex & Marital Therapy.*

Zucker, K. J., & Lawrence, A. A. (2009). Epidemiology of gender identity disorder: Recommendations for the standards of care of The World Professional Association for Transgender Health. *International Journal of Transgenderism, 11*(1), 8-18. doi:10.1080/15532730902799946

Zucker, K. J., Owen, A., Bradley, S. J., & Ameeriar, L. (2002). Gender-dysphoric children and adolescents: A comparative analysis of demographic characteristics and behavioral problems. *Clinical Child Psychology and Psychiatry, 7*(3), 398-411.

Zuger, B. (1984). Early effeminate behavior in boys: Outcome and significance for homosexuality. *Journal of Nervous and Mental Disease, 172*(2), 90-97.

APPENDIX A
GLOSSARY

Terminology in the area of health care for transsexual, transgender, and gender nonconforming people is rapidly evolving; new terms are being introduced, and the definitions of existing terms are changing. Thus, there is often misunderstanding, debate, or disagreement about language in this field. Terms that may be unfamiliar or that have specific meanings in the *SOC* are defined below for the purpose of this document only. Others may adopt these definitions, but WPATH acknowledges that these terms may be defined differently in different cultures, communities, and contexts.

WPATH also acknowledges that many terms used in relation to this population are not ideal. For example, the terms *transsexual* and *transvestite* – and, some would argue, the more recent term *transgender* – have been applied to people in an objectifying fashion. Yet such terms have been more or less adopted by many people who are making their best effort to make themselves understood. By continuing to use these terms, WPATH intends only to ensure that concepts and processes are comprehensible, in order to facilitate the delivery of quality health care to transsexual, transgender, and gender nonconforming people. WPATH remains open to new terminology that will further illuminate the experience of members of this diverse population and lead to improvements in health care access and delivery.

Bioidentical hormones: Hormones that are *structurally* identical to those found in the human body (ACOG Committee of Gynecologic Practice, 2005). The hormones used in bioidentical hormone therapy (BHT) are generally derived from plant sources and are structurally similar to endogenous human hormones, but they need to be commercially processed to become bioidentical.

Bioidentical compounded hormone therapy (BCHT): Use of hormones that are prepared, mixed, assembled, packaged, or labeled as a drug by a pharmacist and custom-made for a patient according to a physician's specifications. Government drug agency approval is not possible for each compounded product made for an individual consumer.

Crossdressing (transvestism): Wearing clothing and adopting a gender role presentation that, in a given culture, is more typical of the other sex.

Disorders of sex development (DSD): Congenital conditions in which the development of chromosomal, gonadal, or anatomic sex is atypical. Some people strongly object to the "disorder" label and instead view these conditions as a matter of diversity (Diamond, 2009), preferring the terms *intersex* and *intersexuality*.

Female-to-Male (FtM): Adjective to describe individuals assigned female at birth who are changing or who have changed their body and/or gender role from birth-assigned female to a more masculine body or role.

Gender dysphoria: Distress that is caused by a discrepancy between a person's gender identity and that person's sex assigned at birth (and the associated gender role and/or primary and secondary sex characteristics) (Fisk, 1974; Knudson, De Cuypere, & Bockting, 2010b).

Gender identity: A person's intrinsic sense of being male (a boy or a man), female (a girl or woman), or an alternative gender (e.g., boygirl, girlboy, transgender, genderqueer, eunuch) (Bockting, 1999; Stoller, 1964).

Gender identity disorder: Formal diagnosis set forth by the *Diagnostic Statistical Manual of Mental Disorders, 4th Edition, Text Rev (DSM IV-TR)* (American Psychiatric Association, 2000). Gender identity disorder is characterized by a strong and persistent cross-gender identification and a persistent discomfort with one's sex or sense of inappropriateness in the gender role of that sex, causing clinically significant distress or impairment in social, occupational, or other important areas of functioning.

Gender nonconforming: Adjective to describe individuals whose gender identity, role, or expression differs from what is normative for their assigned sex in a given culture and historical period.

Gender role or expression: Characteristics in personality, appearance, and behavior that in a given culture and historical period are designated as masculine or feminine (that is, more typical of the male or female social role) (Ruble, Martin, & Berenbaum, 2006). While most individuals present socially in clearly male or female gender roles, some people present in an alternative gender role such as genderqueer or specifically transgender. All people tend to incorporate both masculine and feminine characteristics in their gender expression in varying ways and to varying degrees (Bockting, 2008).

Genderqueer: Identity label that may be used by individuals whose gender identity and/or role does not conform to a binary understanding of gender as limited to the categories of man or woman, male or female (Bockting, 2008).

Male-to-Female (MtF): Adjective to describe individuals assigned male at birth who are changing or who have changed their body and/or gender role from birth-assigned male to a more feminine body or role.

Natural hormones: Hormones that are derived from natural *sources* such as plants or animals. Natural hormones may or may not be bioidentical.

Sex: Sex is assigned at birth as male or female, usually based on the appearance of the external genitalia. When the external genitalia are ambiguous, other components of sex (internal genitalia, chromosomal and hormonal sex) are considered in order to assign sex (Grumbach, Hughes, & Conte,

2003; MacLaughlin & Donahoe, 2004; Money & Ehrhardt, 1972; Vilain, 2000). For most people, gender identity and expression are consistent with their sex assigned at birth; for transsexual, transgender, and gender nonconforming individuals, gender identity or expression differ from their sex assigned at birth.

Sex reassignment surgery (gender affirmation surgery): Surgery to change primary and/or secondary sex characteristics to affirm a person's gender identity. Sex reassignment surgery can be an important part of medically necessary treatment to alleviate gender dysphoria.

Transgender: Adjective to describe a diverse group of individuals who cross or transcend culturally-defined categories of gender. The gender identity of transgender people differs to varying degrees from the sex they were assigned at birth (Bockting, 1999).

Transition: Period of time when individuals change from the gender role associated with their sex assigned at birth to a different gender role. For many people, this involves learning how to live socially in "the other" gender role; for others this means finding a gender role and expression that is most comfortable for them. Transition may or may not include feminization or masculinization of the body through hormones or other medical procedures. The nature and duration of transition is variable and individualized.

Transphobia, internalized: Discomfort with one's own transgender feelings or identity as a result of internalizing society's normative gender expectations.

Transsexual: Adjective (often applied by the medical profession) to describe individuals who seek to change or who have changed their primary and/or secondary sex characteristics through femininizing or masculinizing medical interventions (hormones and/or surgery), typically accompanied by a permanent change in gender role.

APPENDIX B
OVERVIEW OF MEDICAL RISKS OF HORMONE THERAPY

The risks outlined below are based on two comprehensive, evidence-based literature reviews of masculinizing/feminizing hormone therapy (Feldman & Safer, 2009; Hembree et al., 2009), along with a large cohort study (Asscheman et al., 2011). These reviews can serve as detailed references for providers, along with other widely recognized, published clinical materials (e.g., Dahl et al., 2006; Ettner et al., 2007).

Risks of Feminizing Hormone Therapy (MtF)

Likely increased risk:

Venous thromboembolic disease

- Estrogen use increases the risk of venous thromboembolic events (VTE), particularly in patients who are over age 40, smokers, highly sedentary, obese, and who have underlying thrombophilic disorders.
- This risk is increased with the additional use of third generation progestins.
- This risk is decreased with use of the transdermal route of estradiol administration, which is recommended for patients at higher risk of VTE.

Cardiovascular, cerebrovascular disease

- Estrogen use increases the risk of cardiovascular events in patients over age 50 with underlying cardiovascular risk factors. Additional progestin use may increase this risk.

Lipids

- Oral estrogen use may markedly increase triglycerides in patients, increasing the risk of pancreatitis and cardiovascular events.
- Different routes of administration will have different metabolic effects on levels of HDL cholesterol, LDL cholesterol and lipoprotein(a).
- In general, clinical evidence suggests that MtF patients with pre-existing lipid disorders may benefit from the use of transdermal rather than oral estrogen.

Liver/gallbladder

- Estrogen and cyproterone acetate use may be associated with transient liver enzyme elevations and, rarely, clinical hepatotoxicity.
- Estrogen use increases the risk of cholelithiasis (gall stones) and subsequent cholecystectomy.

Possible increased risk:

Type 2 diabetes mellitus

- Feminizing hormone therapy, particularly estrogen, may increase the risk of type 2 diabetes, particularly among patients with a family history of diabetes or other risk factors for this disease.

Hypertension

- Estrogen use may increase blood pressure, but the effect on incidence of overt hypertension is unknown.
- Spironolactone reduces blood pressure and is recommended for at-risk or hypertensive patients desiring feminization.

Prolactinoma

- Estrogen use increases the risk of hyperprolactinemia among MtF patients in the first year of treatment, but this risk unlikely thereafter.
- High-dose estrogen use may promote the clinical appearance of preexisting but clinically unapparent prolactinoma.

Inconclusive or no increased risk: Items in this category include those that may present risk, but for which the evidence is so minimal that no clear conclusion can be reached.

Breast cancer

- MtF persons who have taken feminizing hormones do experience breast cancer, but it is unknown how their degree of risk compares to that of persons born with female genitalia.
- Longer duration of feminizing hormone exposure (i.e., number of years taking estrogen preparations), family history of breast cancer, obesity (BMI >35), and the use of progestins likely influence the level of risk.

Other side effects of feminizing therapy:

The following effects may be considered minor or even desired, depending on the patient, but are clearly associated with feminizing hormone therapy.

Fertility and sexual function

- Feminizing hormone therapy may impair fertility.
- Feminizing hormone therapy may decrease libido.
- Feminizing hormone therapy reduces nocturnal erections, with variable impact on sexually stimulated erections.

Risks of anti-androgen medications:

Feminizing hormone regimens often include a variety of agents that affect testosterone production or action. These include GnRH agonists, progestins (including cyproterone acetate), spironolactone, and 5-alpha reductase inhibitors. An extensive discussion of the specific risks of these agents is beyond the scope of the *SOC*. However, both spironolactone and cyproterone acetate are widely used and deserve some comment.

Cyproterone acetate is a progestational compound with anti-androgenic properties (Gooren, 2005; Levy et al., 2003). Although widely used in Europe, it is not approved for use in the United States because of concerns about hepatotoxicity (Thole, Manso, Salgueiro, Revuelta, & Hidalgo, 2004). Spironolactone is commonly used as an anti-androgen in feminizing hormone therapy, particularly in regions where cyproterone is not approved for use (Dahl et al., 2006; Moore et al., 2003; Tangpricha et al., 2003). Spironolactone has a long history of use in treating hypertension and congestive heart failure. Its common side effects include hyperkalemia, dizziness, and gastrointestinal symptoms (*Physicians' Desk Reference*, 2007).